

Assessment of salinity hazard by electromagnetism induction method in flooded sandy paddy soils

Grünberger, O.¹; J.L. Maeght¹; J.P. Montoro²; Y. Enet³; S. Rattana-Anupap⁴;
J. Wiengwongnam⁴ and C. Hammecker¹

Keywords: Salinity, Electromagnetic Induction, Sandy soils, Rice field, Northeast Thailand

Abstract

Salinity is a major constraint for rainfed rice production in Northeast Thailand sandy lowlands. Salinity surveys are currently performed using Electromagnetic Induction method (EMI) that is associated with soil conductivity measurements. Previous survey methods have consisted of performing EMI measurements during the dry season with the assumption that capillarity rise was the main cause of salt excess in the top layers of the growing rice. Hydrodynamic studies have demonstrated that in some cases the main process of salt enrichment of the top layer consists of the ascent of salt water from the aquifer during the rice cycle. An adaptation of EMI measuring device was realized in order to allow the surveys to be performed during the flooded period. Measurements in horizontal and vertical dipole configuration were performed in an area of contrasted salinity, comparing the obtained values with the conductivity of soil and water mixtures of the top layer. Measurements during rice flooding period indicated better relationship between salt contents and vertical dipole measurements than those performed during the dry season. Salinity in the top layers in the two different stages was identified with two different processes of spatial distribution: on the one hand, capillarity rise during the drying period, and on the other hand the circulation of saline solutions during the flooded periods. Therefore, EMI measurements during flooded periods should be recommended in salt-affected sandy paddy soils as more accurate and representative of conditions that influence plant performance.

¹ Institut de Recherche pour le Développement (IRD), Office of Science for Land Development, Phaholyothin Road, Chatuchak, Bangkok 10900, Thailand.

² IRD, centre d'île de France, 32 Rue Henri Varagnat, F-93143, Bondy cedex, France Cedex

³ Université Paris XII Val-de-Marne, 61 avenue du Général de Gaulle, 94010 Créteil, France Cedex


⁴ Department of Land Development. Office of Science for Land development, Phaholyothin Road, Chatuchak, Bangkok 10900, Thailand.

Management of Tropical Sandy Soils for Sustainable Agriculture



A holistic approach for sustainable development of problem soils in the tropics

27th November - 2nd December 2005
Khon Kaen, Thailand



Proceedings

Organizing Committee:

Christian Hartmann (IRD/LDD)	Chairman
Narong Chinabut (LDD)	co-Chairman
Andrew Noble (IWMI)	Secretary
Yuji Niino (FAO)	Treasurer
Taweesak Vearasilp (LDD)	co-Secretary
Anan Polthanee (KKU)	co-Secretary
Roland Poss (IRD)	co-Secretary

Scientific committee:

Andriantsoa	(CIAT, Kenya)
Richard Bell	(Murdoch University, Australia)
Sue Berthelsen	(CSIRO, Australia)
Eric Blanchart	(IRD, France)
Ary Bruand	(ISTRO, France)
John Caldwell	(JIRCAS, Thailand)
Suraphol Chandrapatya	(IWMI, Thailand)
Hari Eswaran	(USDA, USA)
Martin Fey	(Stellenbosh University, South Africa)
Alfred Hartemink	(ISRIC, The Netherlands)
Christian Hartmann	(IRD, Thailand)
Irb Kheoruenromne	(Kasetsart University, Thailand)
Phil Moody	(Dep. Natural Resources and Mines, Australia)
Paul Nelson	(James Cook University, Australia)
Andrew Noble	(IWMI, Thailand)
William Payne	(Texas A&M University, USA)
Roland Poss	(IRD, France)
Robert Simmons	(IWMI, India)
Christian Valentin	(IRD, Laos)
Bernard Vanlauwe	(CIAT-TSBF, Kenya)
Hidenori Wada	(Japan)
Toshiyuki Wakatuki	(Kinki University, Japan)
Wanpen Wiriyakitnateekul	(LDD, Thailand)

NOTICE OF COPYRIGHT

All rights reserved. Reproduction and dissemination of material in this information product for educational or other non-commercial purposes are authorized without any prior written permission from the copyright holders provided the source is fully acknowledged. Reproduction of material in this information product for sale or other commercial purposes is prohibited without written permission of the copyright holders. Applications for such permission should be addressed to the Organizing Committee of the first Symposium on the Management of Tropical Sandy Soils through the Land Management Officer, FAO Regional Office for Asia and the Pacific, Maliwan Mansion, 39 Phra Atit Road, Bangkok 10200, Thailand.

ISBN 978-974-7946-96-3

For copies write to: Yuji Niino
Land Management Officer
FAO Regional Office for Asia and the Pacific
Maliwan Mansion, 39 Phra Atit Road
Bangkok 10200
THAILAND
Tel: (+66) 2 697 4000
Fax: (+66) 2 697 4445
E-mail: Yuji.Niino@fao.org



Under the auspices of:
International Union of Soil Science (IUSS)

organized by:
L'Institut de Recherche pour le Développement (IRD, France)
Land Development Department (LDD, Thailand)

co-organized by:
International Water Management Institute (IWMI)
Food and Agriculture Organization of the United Nations (FAO)
University of Khon Kaen, Faculty of Agriculture (KKU)

supported by:
CSIRO Land and Water, Australia
UNCCD
ISRIC

