

## Cation exchange capacity of sandy salt-affected paddy soils by ammonium acetate, cobalt-hexamine and compulsive method

Promkutkaew, A.<sup>1</sup>; O. Grunberger<sup>1</sup>; S. Bhuthorndharaj<sup>2</sup> and A.D. Noble<sup>3</sup>

**Keywords:** Cation Exchange Capacity determination methods, sandy and salt-affected soils, paddy fields

### Abstract

Sandy soils of Northeast Thailand have for long been identified as problematic soils. Acidity, salinity, low organic matter contents and low cation exchangeable capacity (CEC) have been established as the main soil constraints to rice production on these sandy soils. CEC values are dependent on clay content, soil organic matter content and soil pH. In the context of sandy salt-affected soils, precise and accurate determinations of low CEC values are often considered problematic and a large number of methods are available to measure this attribute. The objective of the study was to compare the values obtained on a set of 6 samples using different methods of CEC determination in the context of salt-affected sandy paddy soils. Ammonium acetate method at pH 7 and cobalt-hexamine at soil pH methods with or without alcohol pretreatment were compared with compulsive method, with CaCl<sub>2</sub> at the same pH. In sandy soil paddy profiles with a low clay content and CEC values measured with compulsive methods, less to 2.67 cmol<sub>c</sub> kg<sup>-1</sup> determinations with ammonium acetate and cobalti-hexamine methods presented linear relationships with the compulsive method results in cmol<sub>c</sub> kg<sup>-1</sup> (of soil)  $CEC_{cobalt} = CEC_{compulsive} * 0.45 + 1.84$ ,  $R^2 = 0.93$ ) and  $(CEC_{ammonium} = CEC_{compulsive} * 0.37 + 1.91$ ,  $R^2 = 0.87$ ). The same type of relationships were established performing previous alcohol treatment in order to remove salts although with lower significance (respectively  $R^2 = 0.56$  and  $R^2 = 0.80$ ). These results indicate that using ammonium acetate or cobalt-hexamine methods, in salt-affected sandy soils with a CEC lower 2.67 cmol<sub>c</sub> kg<sup>-1</sup> will lead to overestimation of CEC when compared to compulsive method. This overestimation was found to be independent of pH values and salt-effect.

<sup>1</sup> IRD – Land Department Development, Office of Science for Land Development, Phaholyothin Road, Chatuchak, Bangkok 10900, Thailand

<sup>2</sup> Land Department Development, Office of Science for Land Development, Phaholyothin Road, Chatuchak, Bangkok 10900, Thailand

<sup>3</sup> IWMI Southeast Asia, c/o WorldFish Center, Jalan Batu Maung, Batu Maung, 11960 Bayan Lepas, Penang, Malaysia.

# Management of Tropical Sandy Soils for Sustainable Agriculture



A holistic approach for sustainable development of problem soils in the tropics

27<sup>th</sup> November - 2<sup>nd</sup> December 2005  
Khon Kaen, Thailand



Proceedings

**Organizing Committee:**

Christian Hartmann (IRD/LDD)	Chairman
Narong Chinabut (LDD)	co-Chairman
Andrew Noble (IWMI)	Secretary
Yuji Niino (FAO)	Treasurer
Taweesak Vearasilp (LDD)	co-Secretary
Anan Polthanee (KKU)	co-Secretary
Roland Poss (IRD)	co-Secretary

**Scientific committee:**

Andriantsoa	(CIAT, Kenya)
Richard Bell	(Murdoch University, Australia)
Sue Berthelsen	(CSIRO, Australia)
Eric Blanchart	(IRD, France)
Ary Bruand	(ISTRO, France)
John Caldwell	(JIRCAS, Thailand)
Suraphol Chandrapatya	(IWMI, Thailand)
Hari Eswaran	(USDA, USA)
Martin Fey	(Stellenbosh University, South Africa)
Alfred Hartemink	(ISRIC, The Netherlands)
Christian Hartmann	(IRD, Thailand)
Irb Kheoruenromne	(Kasetsart University, Thailand)
Phil Moody	(Dep. Natural Resources and Mines, Australia)
Paul Nelson	(James Cook University, Australia)
Andrew Noble	(IWMI, Thailand)
William Payne	(Texas A&M University, USA)
Roland Poss	(IRD, France)
Robert Simmons	(IWMI, India)
Christian Valentin	(IRD, Laos)
Bernard Vanlauwe	(CIAT-TSBF, Kenya)
Hidenori Wada	(Japan)
Toshiyuki Wakatuki	(Kinki University, Japan)
Wanpen Wiriyakitnateekul	(LDD, Thailand)

## **NOTICE OF COPYRIGHT**

All rights reserved. Reproduction and dissemination of material in this information product for educational or other non-commercial purposes are authorized without any prior written permission from the copyright holders provided the source is fully acknowledged. Reproduction of material in this information product for sale or other commercial purposes is prohibited without written permission of the copyright holders. Applications for such permission should be addressed to the Organizing Committee of the first Symposium on the Management of Tropical Sandy Soils through the Land Management Officer, FAO Regional Office for Asia and the Pacific, Maliwan Mansion, 39 Phra Atit Road, Bangkok 10200, Thailand.

**ISBN 978-974-7946-96-3**

For copies write to: Yuji Niino  
Land Management Officer  
FAO Regional Office for Asia and the Pacific  
Maliwan Mansion, 39 Phra Atit Road  
Bangkok 10200  
THAILAND  
Tel: (+66) 2 697 4000  
Fax: (+66) 2 697 4445  
E-mail: [Yuji.Niino@fao.org](mailto:Yuji.Niino@fao.org)



Under the auspices of:  
International Union of Soil Science (IUSS)

organized by:  
L'Institut de Recherche pour le Développement (IRD, France)  
Land Development Department (LDD, Thailand)

co-organized by:  
International Water Management Institute (IWMI)  
Food and Agriculture Organization of the United Nations (FAO)  
University of Khon Kaen, Faculty of Agriculture (KKU)

supported by:  
CSIRO Land and Water, Australia  
UNCCD  
ISRIC

