#### Parallel session 9B - Monsoon system: Land surface models

### Pr.9B.1

## How can point rainfall data be best used to drive land surface models in the Sahel?

#### Denis FEURER <sup>1,2</sup>, Bernard CAPPELAERE <sup>1</sup>, Jérôme DEMARTY <sup>1</sup>, Théo VISCHEL <sup>3</sup>, Catherine OTTLE <sup>4</sup>, Pierre-Adrien SOLIGNAC <sup>1</sup>, Stéphane SAUX-PICART <sup>4</sup>, Thierry LEBEL 3, David RAMIER <sup>5</sup>, Nicolas BOULAIN <sup>6</sup>, Guillaume CHARVET <sup>1</sup>, Ibrahim MAINASSARA <sup>7</sup>, Jean-Philippe CHAZARIN <sup>1</sup>, Monique OÏ <sup>1</sup>

<sup>1</sup> IRD, HydroSciences Montpellier, Montpellier, France <sup>2</sup> IRD,LISAH, Montpellier, France

 <sup>3</sup> UJF, IRD, Laboratoire des Transferts en Hydrologie et Environnement, Grenoble, France
<sup>4</sup> CNRS, Laboratoire des Sciences du Climat et de l'Environnement, Gif-sur-Yvette, France
<sup>5</sup> Centre d'Etudes Techniques de l'Equipement – Ile de France, Trappes, France
<sup>6</sup> University of Technology Sydney, Plant Functional Biology and Climate Change Cluster, Sydney, Australia

<sup>7</sup>University Abdou Moumouni, Dept. of Geology, Niamey, Niger

In semiarid areas such as the Sahel, land surface processes are known to be highly non-linear, in particular with respect to their main driver that is precipitation. Precipitation also represents the forcing variable that is estimated with the highest uncertainty at the scales of interest. using point (ground) data or large scale (satellite or model) information. For all these reasons, the response of a land surface model (LSM) to rainfall uncertainty and to the method of rainfall estimation from gauge measurements was investigated for the AMMA-CATCH mesosite in South-West Niger. The LSM used is the SEtHvS Savannah model. This model was specially developed to simulate water and energy fluxes over dry savannah landscapes. It was first calibrated/validated at local scale using field observations collected in millet and fallow plots, the two main land cover types of south-west Niger. Meso-scale simulations were then performed at kilometric resolution for the whole monsoon season of 2005 over a ~3000 km<sup>2</sup> domain, using a combination of ground- and satellite- derived meteorological and ecological forcing data. Rainfields were estimated over this area at a 1-km<sup>2</sup> x 15-min resolution from high-resolution rain gauges using a conditioned stochastic event generator as well as three deterministic - geometrical or geostatistical - interpolation methods: nearest-neighbor, standard kriging and lagrangian kriging. Propagation through the LSM of uncertainty and of bias, and transformation of unaccounted-for uncertainty into additional bias, are characterized, as well as interaction with land use and other input variables. Sensitivity of the various water and energy cycle variables is highlighted. Some conclusions are drawn with respect to the choice of rainfall estimation method for land surface modeling in the Sahelian environment. This study also provides useful indications with respect to the rainfields that will be used for forcing the LSMs run in the framework of the ALMIP-2 project, on the three AMMA-CATCH mesosites.

Keywords: land surface modelling, rainfall forcing, error propagation, stochastic

Email: bernard.cappelaere@um2.fr



2-6 July 2012 Toulouse, France

# 4<sup>th</sup> AMMA International Conference

# **Program and Book of Abstracts**

African Monsoon Multidisciplinary Analyses Afrikaanse Moesson Multidisciplinaire Analyse Afrikanske Monsun : Multidisiplinaere Analyser Analisi Multidisciplinare per il Monsone Africano Afrikanischer Monsun : Multidisziplinäre Analysen Analisis Multidiciplinar de los Monzones Africanos Analyses Multidisciplinaires de la Mousson Africaine

# Programme et Livre des Résumés

2-6 Juillet 2012 Toulouse, France



4<sup>ème</sup> Conférence Internationale AMMA

#### Editors

S. Janicot, O. Roussot, F. Guichard

### **Design and layout**

C. Michaut

### Type setting

S. Janicot, O. Roussot, F. Guichard, C. Michaut

### Printing and binding

COREP 125 route de Narbonne 31400 Toulouse

### Back page photo

F. Guichard

Copyright © AMMA International 2012 AMMA International Project Office Université Pierre et Marie Curie LOCEAN/IPSL Boite 100 - 4 Place Jussieu 75252 Paris cedex 05 - France

.

Web: http://www.amma-international.org Email: amma.office@amma-int.org

All rights reserved.