

- with report on *X. radicolica* T. Goodey, 1936 and *X. elongatum* Schuurmans Stekhoven & Teunissen, 1938 (Nematoda: Longidoroidea) from India. *Indian J. Nematol.*, 11 (1981): 189-204.
- LOOS, C. A. (1949). Notes on free-living and plant-parasitic nematodes of Ceylon-5. *J. zool. Soc. India*, 1: 23-29.
- LUC, M. (1981). Observations on some *Xiphinema* species with the female anterior genital branch reduced or absent. *Revue Nématol.*, 4: 157-167.
- LUC, M., LOOF, P. A. A. & COOMANS, A. (1986). Description of *Xiphinema thorneanum* n. sp. and observations on some species of the genus (Nematoda: Longidoridae). *Revue Nématol.*, 9: 337-346.
- MCLEOD, R. W. & KHAIR, G. T. (1971). *Xiphinema australiae* n. sp., its host range, observations on *X. radicolica* Goodey, 1936 and *X. monohysterum* Brown, 1968 and a key to monodelphic *Xiphinema* spp. (Nematoda: Longidoridae). *Nematologica*, 17: 58-68.
- PHUKAN, P. N. & SANWAL, K. C. (1982). Taxonomic studies on six species of *Xiphinema* from Assam. *J. Res. Assam Agric. Univ.*, 3: 46-83.
- RAHMAN, M. F., BILGRAMI, A. L. & JAIRAJPURI, M. S. (1986). Studies on the variability in *Xiphinema radicolica* Goodey, 1936 and *Xiphinema brasiliense* Lordello, 1951. *Helminthologia*, 23: 179-188.
- RENUBALA, K., GAMBHIR, R. K. & DHANACHAND, Ch. (1991). Three known and two new species of *Xiphinema* (Dorylaimida) from Manipur state. *Curr. Nematol.*, 2: 55-58.

ON *DITYLENCHUS MALEKI* FORTUNER & MAGGENTI, 1987, (NEMATODA: ANGUINIDAE)

Pieter A. A. LOOF *, Renaud FORTUNER ** and Armand MAGGENTI ***

* Department of Nematology, Agricultural University, P.O. Box 8123, 6700 ES Wageningen, Netherlands;

** California Department of Food and Agriculture, P.O. Box 942871, Sacramento, CA 94271-0001, USA;

*** University of California, Department of Nematology, Davis, CA 95616, USA.

Accepted for publication 10 December 1992.

Key-words: *Ditylenchus*, taxonomy, homonymy.

Fortuner and Maggenti (1987), in their reappraisal of the family Anguinidae Nicoll, 1935 synonymized the genus *Nothotylenchus* Thorne, 1941 with *Ditylenchus* Filipjev, 1936. In the species list they renamed *Nothotylenchus major* Thorne & Malek, 1968 as *Ditylenchus maleki*, because of homonymy of the former name with *D. major* (Fuchs, 1915).

Actually this remaining is unnecessary. Fuchs' species was originally described under the generic name *Tylenchus* Bastian, 1865; in 1936 Filipjev transferred it to *Ditylenchus*. Thus the homonymy is secondary.

In 1961 Meyl transferred Fuchs' *Tylenchus major* to this new genus *Neoditylenchus*. Fortuner and Maggenti accepted this (using as generic name the senior synonym *Sychmotylenchus* Rühm, 1956). So in their system the two species (*major* Fuchs, 1915 and *major* Thorne & Malek, 1968) are no longer congeneric: the homonymy is historical. Art. 59 (d) of the Rules (ed. 1985) states:

“ Revival of secondary homonyms. - A species-group name rejected after 1960 on grounds of homonymy is to be reinstated by any one who believes that the two species-group taxa in question are not congeneric, unless it is invalid for some other reason. (i) If in such a case a new replacement name (*nomen novum*) had been proposed to replace the secondary homonym, it becomes a junior objective synonym of the latter. ”

This applies to the present case:

- the homonymy is secondary (even on both sides);

- the name *major* Thorne & Malek, 1968 was rejected in 1987, i.e. after 1960;

- Fortuner and Maggenti consider *major* Fuchs, 1915 and *major* Thorne & Malek, 1968 not congeneric.

Conclusion: *Ditylenchus major* (Thorne & Malek, 1968) Fortuner & Maggenti, 1987 is a valid name; *D. maleki* Fortuner & Maggenti, 1987 is an objective junior synonym of *D. major* (Thorne & Malek, 1968).

D. major (Thorne & Malek, 1968) was given as valid name, with *D. maleki* as synonym, by Ebsary (1991), but he did not give comments or arguments.

References

- EBSARY, B. A. (1991). *Catalog of the order Tylenchida (Nematoda)*. Research Branch Agriculture Canada, Publication 1869 B, 196 p.
- FILIPJEV, I. N. (1936). On the classification of the Tylenchinae. *Proc. helminth. Soc. Wash.*, 3: 80-82.
- FORTUNER, R. & MAGGENTI, A. R. (1987). A reappraisal of Tylenchina (Nematoda). 4. The family Anguinidae Nicoll, 1935 (1926). *Revue Nématol.*, 10: 163-176.
- FUCHS, A. G. (1915). Die Naturgeschichte der Nematoden und einiger anderen Parasiten. 1. Des *Ips typographus* L. 2. Des *Hyllobius abietis* L. *Zool. Jahrb. Syst.*, 38: 109-222.
- MEYL, A. H. (1961). Die freilebenden Erd- und Süßwasser-nematoden (Fadenwürmer). In: *Die Tierwelt Mitteleuropas*. Leipzig, Quelle & Meyer, 164 p.
- THORNE, G. & MALEK, R. B. (1968). Nematodes of the Northern Great Plains. Part I. Tylenchida. (Nematoda: Secernentea). *S. Dakota agric. Exp. Stat., Techn. Bull.*, 31, 1-111.