

ORSTOM

RENADET ENGINEERING

French Institute of
Scientific Research
for Development
through Cooperation

Department F
Research Unit 4

HYDROLOGICAL STUDY FOR MINI HYDROS PROJECTS
IN WEST SUMATRA (INDONESIA)

By

H. DOSSEUR Senior engineer at EDF INTERNATIONAL
D. IBIZA Senior engineer at ORSTOM

Paris, December 1985

C O N T E N T S

	PAGE
<u>INTRODUCTION</u>	1
1. CATCHMENTS DESCRIPTION	3
1.1. Location	3
1.2. Characteristics of basins	3
1.3. Climate	10
2. AVAILABLE DATA	10
2.1. Rainfall	10
2.2. Evaporation	13
2.3. River flow	14
3. FLOW DATA ELABORATION	14
3.1. Method	14
3.2. Restoration of daily rainfalls	15
3.3. Model description	15
3.4. Calibration of the model	16
3.5. Transposition to the sites	16
3.6. Generation of flow data	20
4. ANALYSIS OF GENERATION FLOWS	20
4.1. Monthly and yearly flows	20
4.2. Low flows	23
5. FLOOD ESTIMATION	31
5.1. Procedure	31
5.2. Average intensity of the design rainstorm	32
5.3. "Time of concentration"	33
5.4. Runoff coefficient	33
5.5. Computed peak discharges	34
5.6. Design flood	34
<u>APPENDICES</u>	41
Appendix 1 Monthly rainfalls	43
Appendix 2 Computed monthly discharges	51
Appendix 3 Computed monthly discharges in order	59
Appendix 4 Low flows discharges in order	63

INTRODUCTION

- 1 - As part of the second stage of the mini-hydro-projects in WEST SUMATRA (Feasibility study) the purpose of this study was to assess the main hydrological parameters for the six proposed sites.

Because of lack of available data for the concerned catchments, the hydrological study would be carried out using indirect methods based upon the knowledge of climatic and physical data and comparison with similar catchment areas.

As a matter of fact, direct stream measurement have only started in the middle of 1985 on the concerned rivers and at the present time, the first gathered data are not still adequate to be used for such a study.

- 2 - As all the mini-hydros are run-of-river projects, long time series of daily discharges are required and especially low flow data for the firm discharge estimation.

The most interesting formulation of mean daily flows for such run-of-river hydropowers is so-called "duration curve" representing empirical marginal distribution function of mean daily flows.

- 3 - For generation of daily flow data a conceptual rainfall-runoff model has been used.

Unfortunately, only monthly rainfalls records were available on the stations retained as the most representative for each proposed site: and daily records have been collected only for two stations located in the area of the study.

So, in a first step, daily rainfall data, used as input of the hydrological model, have been generated from observed monthly precipitations and the two available series of daily data.

- 4 - After the calibration of the model from records of gaged catchments in the neighboring region (national hydrometric network) and transposition of the parameters to the concerned sites, sequences of simulated daily flows have been generated.
- 5 - At the end a statistical analysis of results has been undertaken to assess the required hydrological parameters.
- 6 - For design flood estimation on each site, the "Rational Method" has been used.

To estimate the design rainstorm required by this procedure, results of a regional precipitations frequency study in peninsular MALAYSIA (under similar climatic conditions) have been transposed to WEST SUMATRA.




Fig. 1

SITUATION MAP

1. CATCHMENTS DESCRIPTION

1.1. Location

All the sites are located in WEST SUMATRA between the parallel 01° of north latitude and the parallel 02° of south latitude (see situation map fig. 1 and table 1).

TABLE 1. LIST OF THE SITES

CODE N°	NAME	DISTRICT	COORDINATES OF INTAKE
02	Batang Air GUNTUNG	Agam	S 00° 09' 00 E 100° 14' 22
04	Batang BALANGIR	Solok	S 01° 35' 55 E 101° 13' 46
06	Batang SUMANI	Solok	S 00° 54' 08 E 100° 37' 05
12	Batang SIKARBAU	Pasaman	S 00° 24' 06 E 99° 34' 32
15	Sunger PATIMAH	Pasaman	S 00° 00' 50 E 100° 04' 12
18	Batang BAYANG SANI	Pesisir Selatan	S 01° 13' 36 E 100° 34' 11

1.2. Characteristics of basins

The main physical characteristics are given in tables 2a to 2f. All the catchments have a mountainous relief with a steep slope as shown by the global slope index (IG) which remains between 30 and 176 m/km.

Geology is typically volcanic with andesite, tuff, breccia or lava formations and deeply weathered residual soils in surface containing a high proportion of clay in the low parts.

Vegetation cover is mainly constituted by secondary forest, jungle and sometimes plantations (rubber, coffee, cacao). The SUMANI catchment is more cultivated with padi fields in the low part of the basin.

Table 2a PHYSICAL CHARACTERISTICS OF GUNTUNG

HYPSOMETRY	
elevation greater than (m)	% of basin
450	100
600	96.5
800	61.4
1000	30.4
1200	10.9
1400	2.2
1600	0.8
1850	0.0

RELIEF	Area 147 km ² Perimeter 58.3 km Slope global index 30 m/km Mean elevation 912 m Median elevation 860 m
GEOLOGY	Volcanic tuff (about 50%), andesite, metamorphic sandstones
VEGETATION	Secondary jungle
CLIMATE	Mean annual rainfall 3200 mm Mean annual potential evaporation 1100 mm

Table 2b PHYSICAL CHARACTERISTICS OF BALANGIR

HYPSONOMETRY	
elevation greater than (m)	% of basin
170	100
250	98.5
500	86.2
750	70.8
1000	56.3
1250	35.3
1500	13.9
1750	2.2
1996	0.0

RELIEF	Area Perimeter Slope global index Mean elevation Median elevation	40.6 km ² 29 km 176 m/km 1560 m 1330 m
GEOLOGY	Volcanic rocks, tuff breccia and lava	
VEGETATION	Forest, some rubber plantation near the intake	
CLIMATE	Mean annual rainfall Mean annual potential evaporation	3000 mm 1000 mm

Table 2c PHYSICAL CHARACTERISTICS OF SUMANI

HYPSOMETRY	
elevation greater than (m)	% of basin
600	100
750	99.0
1000	77.8
1250	28.0
1500	11.2
1750	4.8
2000	2.1
2470	0.0

RELIEF	Area 80.9 km ² Perimeter 36.9 km Slope global index 79 m/km Mean elevation 1190 m Median elevation 2100 m
GEOLOGY	Volcanic formations : undifferentiated flows and colluvial deposits
VEGETATION	Secondary forest with cultivated areas, padi fields very little forest cover remains
CLIMATE	Mean annual rainfall 2750 mm Mean annual potential evaporation 875 mm

Table 2d PHYSICAL CHARACTERISTICS OF SIKARBAU

HYPSONOMETRY	
elevation greater than (m)	% of basin
170	100
250	98.5
500	86.2
750	70.8
1000	56.3
1250	35.3
1500	13.9
1750	2.2
1996	0.0

RELIEF	Area Perimeter Slope global index Mean elevation Median elevation	115 km ² 53 km 63 m/km 1054 m 1090 m
GEOLOGY	Volcanic formations	
VEGETATION	Mainly jungle, very little cultivated areas	
CLIMATE	Mean annual rainfall Mean annual potential evaporation	3500 mm 1050 mm

Table 2e PHYSICAL CHARACTERISTICS OF PATIMAH

HYPSONOMETRY	
elevation greater than (m)	% of basin
150	100
250	85.8
500	57.2
750	24.4
1000	11.0
1250	7.1
1500	5.2
1750	3.8
2000	2.6
2200	1.7
2400	0.9
2600	0.3
2800	0.1
2912	0.0

RELIEF	Area 142 km ² Perimeter 55 km Slope global index 63 m/km Mean elevation 644 m Median elevation 550 m
GEOLOGY	Recent lava and volcanic tuff
VEGETATION	Forest (50% of the area), jungle and a part cultivated (about 40%)
CLIMATE	Mean annual rainfall 4500 mm Mean annual potential evaporation 1275 mm

Table 2f PHYSICAL CHARACTERISTICS OF BAYANG SANI

HYPSOMETRY	
elevation greater than (m)	% of basin
270	100
300	99.3
400	87.4
500	60.4
750	27.2
1000	12.3
1250	4.9
1500	0.3
1520	0.0

RELIEF	Area	9.74 km ²
	Perimeter	17 km
	Slope global index	122 m/km
	Mean elevation	646 m
	Median elevation	560 m
GEOLOGY	Volcanic rocks, tuff, breccia and lava	
VEGETATION	Forest and some rubber plantations	
CLIMATE	Mean annual rainfall	4000 mm
	Mean annual potential evaporation	1270 mm

1.3. Climate

The province of West SUMATRA is situated astride the equator and is bordered by the Indian Ocean. The climate is almost entirely controlled by the monsoon circulations of south east Asia.

West SUMATRA is under two monsoons, the north west monsoon (called the "wet monsoon") from november to march and the south east monsoon (called the "dry monsoon") from march to october. However, local climatic effects due to the relief disturb the monsoonal system.

Due to the structure of the island and its geographical location, the air over the area is warm and moist.

The monthly mean temperature and humidity do not change very much throughout the year (PADANG : mean annual temperature 29°C ; mean annual relative humidity : 80 %).

The very humid and warm air masses produce heavy rainfall by combination of 3 trigger mechanisms : convergence, convection and orographic effects.

West SUMATRA is one of the most rainy place in the world : annual average rainfall exceeds 5000 mm at many locations with recorded values in excess of 6000 mm [1].

Rainfall lows actually occur in february and july, the low in february usually being less pronounced than that of july.

The main wet season occurs from october to january and a secondary peak in rainfall occurs in april.

2. AVAILABLE DATA

2.1. Rainfall

2.1.1. Selected rainfall stations. Monthly records for about 100 rainfall stations in West SUMATRA had been collected for the preliminary screening of the sites (first stage report [2]). The location of these stations and the long time mean isohyets are shown on the situation map (fig. 1).

The following stations (table 3) have been selected for their geographical location and period of records as the most representative for each catchment :

TABLE 3 : SELECTED RAINFALL STATIONS

NUMBER	NAME	PERIOD OF RECORDS
27	LIKI	1916-41 ; 1952-57 ; 1960
28	SUNGEI LANDEI	1916-21
38	ALAHAN PANDJANG	1916-41 ; 1953 ; 1957-75
38a	INDRAPURA	1924-41 ; 1951-57 ; 1961 ; 1963 ; 1966-67 ; 1979-81
42b	BARUNG BALANTAI	1924-41 ; 1953-59 ; 1961 ; 1963 ; 1973 ; 1975
47	SOLOK	1916-41 ; 1951-61 ; 1967-69 ; 1973 ; 1976-78
47c	KUBANGNAN DUA	1924 ; 1926-41
53	PADANG PANJANG	1916-41 ; 1954-60 ; 1963-79
53c	PAALEMBAJAN	1924 ; 1926-41 ; 1954-57
54	BUKITTINGGI	1916-41 ; 1951-66 ; 1981
56	SULIKI	1924 ; 1926-41 ; 1951-56 ; 1974-81
59	LUBUKSIKAPING	1916-41 ; 1951-57 ; 1973-80
59c	BATANG PASAMAN	1930-39 ; 1940-41
63b	PARIT	1924 ; 1926-1938 ; 1940-41

For the stations of table 3, only monthly data and the annual maximal daily rainfall are available.

Fortunately, during this second stage (feasibility study) recent daily data for 2 stations have been collected at the meteorological office of PADANG Airport :

PADANG TABING	1971-1985
SUKARAMI	1975-1985

2.1.2. Critical review. At first rainfall data have been reviewed from a qualitative point of view before to be used.

The temporal and spatial homogeneity of annual records has been checked by using the method of the "Regional vector" [3], [4].

In this method, a reference vector with annual components is computed from all the regional available data.

Then, each station is checked up against such a vector. The elaboration of the vector lies on the principle that the most likely information is that which repeats itself the most frequently.

In West SUMATRA, the quality control indicates that for the most stations, data are not reliable past 1941.

As far as possible the gaps in the time series have been filled from near stations and some corrections have been introduced when systematic errors have been detected (for instance : station 42b from 1937 to 1941). The too uncertain years have been deleted as, for example, the years since 1941 at the station number 59. The resulting operational data set of monthly rainfall is given in appendix 1.

2.1.3. Statistical analysis. A statistical analysis has been undertaken on the main rainfall stations (with long time series) for the annual total rainfall and for the annual maximum daily rainfall.

Each sample of observed values has been fitted to 9 usual distribution models by the method of maximum likelihood :

- Normal distribution (GAUSS)
- GUMBEL distribution
- Log normal distribution (GALTON)
- PEARSON 3 distribution (incomplete gamma in X)
- PEARSON 5 distribution (incomplete gamma in 1/X)
- GOODRICH distribution
- FRECHET distribution
- Log gamma distribution
- Cox and Miller distribution (law of "leaks")

The following tables resume the results obtained with the most adequate distribution model :

- table 4 : for annual total rainfall
- table 5 : for annual maximum daily rainfall

TABLE 4. ANNUAL RAINFALL (mm)

STATIONS		PROBABILITY						
		DRY YEARS			MEDIAN	WET YEARS		
NAME	Nc	0.01	0.02	0.10	0.50	0.90	0.98	0.99
LIKI	27	2611	2778	3270	4047	4704	5043	5154
ALAHANPANDJANG	38	1781	1812	1927	2258	2986	3876	4343
INDRAPURA	38a	2498	2556	2799	3437	4260	4779	4994
BARUNG BALANTAI	42b	2414	2655	3328	3688	5074	5455	5578
SOLOK	47	1464	1508	1648	1952	2386	2738	2884
SUNGEI PANJANG	28	984	1156	1642	2450	3257	3744	3916
PADANG PANJANG	53	2759	2791	2905	3217	3909	4802	5289
PAALEMBAJAN	53c	1735	1839	2140	2597	2970	3160	3221
BUKITTINGGI	54	1717	1745	1845	2123	2638	3143	3372
LUBUKSIKAPING	59	3225	3352	3741	4502	5430	6087	6338

TABLE 5. MAXIMUM DAILY RAINFALL (mm)

STATIONS		PROBABILITY						
		DRY YEARS			MEDIAN	WET YEARS		
NAME	No	0.01	0.02	0.10	0.50	0.90	0.98	0.99
LIKI	27	74.5	76.4	83.2	102	144	195	221
INDRAPURA	38a	80.4	88.2	113	160	215	252	266
BARUNG BALANTAI	42b	90.5	98.0	122	178	265	241	373
SOLOK	47	54.5	57.3	66.9	88.9	122	150	161
PADANG PANJANG	53	65.4	70.2	85.9	121	177	226	246
PAALEMBAJAN	53c	34.4	36.7	45.6	74.2	153	273	345
BUKITTINGGI	54	45.4	47.6	55.1	73.0	102	129	140
LUBUKSIKAPING	59	74.0	77.7	88.4	115	165	214	237

2.2. Evaporation

Because of high intensity rainstorms, accurate pan evaporation records are difficult to achieve in West SUMATRA, especially during the monsoon months.

Pan evaporation (class A) records were available at two climatological stations :

PADANG GUNUNG NAGO (coastal station) : 1977-1984
 SUKARAMI (928 m above the sea level) : 1975

The total depth for 1975 at SUKARAMI is 1668 mm ; average of the monthly and annual values at PADANG are given in the table 6.

TABLE 6. AVERAGE OF PAN EVAPORATION AT PADANG (mm)

J	F	M	A	M	J	J	A	S	O	N	D	∴	YEAR
147	133	143	136	142	138	132	147	132	142	127	141	∴	1660

- According to the location of the station (on the seaside), these values seem to be very low and the reliability of data is questionable.

So, for calculation of evaporation on the forested catchments, only the monthly distribution observed at PADANG have been kept and transposed results of a previous study of evaporation in Peninsular MALAYSIA [5] have been preferred to assess the annual depth of evaporation.

Potential evaporation from forested area is assumed to be a decreasing function of the elevation as shown by the summarised results of the table 7.

TABLE 7. EVAPORATION-ELEVATION RELATIONSHIP FOR FOREST AREA

Mean elevation (m above sea level)	0	250	500	1000	1500
Annual evaporation (mm)	1635	1325	1240	1078	812

2.3. River flow

All the selected sites have been instrumented with staff gauges in the middle of 1985.

The gauging stations are operating since a very short time and the rating curves are still without sufficient reliability to be use for accurate discharge calculation.

There are some permanent recorder stations (national hydrological network) in the study area but most of them are recent stations and data processing of the new records is not still executed.

Four stations are interesting for the study but the quality of the records is somewhat variable, particularly during period of low stage. These stations are the following :

BATANG BATAHAN at SILAPING	(1 170 00 01)	1973-1979
BATANG TONGAR at LUBUK TOREH	(1 165 00 03)	1974-1980
BATANG MASANG at SIPI SANG	(1 164 00 01)	1975, 1978, 1980-1981
BATANG SUMANI at BANDAR PADUNG	(1 006 00 05)	1977-1981

All the gauging stations are instrumented with automatic level recorders (OTT-R10) and the records are send to the Central Office of Hydrology for data processing.

3. FLOW DATA ELABORATION

3.1. Method

The lack of actual site data has necessitated simulating river flows using a rainfall-runoff model.

3.2. Restoration of daily rainfalls

As the conceptual model is working in a daily time step, daily data were requested to be used as input.

To restore daily rainfalls at the selected stations (see paragraph 2.1.) the following procedure has been used :

- a) Ranging the monthly rainfalls RM at the station where daily data were available (PADANG) and RMB at the selected stations where only monthly data were available.
- b) Attributing to each monthly values RMB the observed daily data corresponding to the monthly value RM of the similar rank with a RMB/RM ponderation.

Such generated records are not the true historical values but are approximately equivalent in a statistical sense. They are suitable for low and mean flow data elaboration but frequently high generated values are not very reliable.

3.3. Model description

- A conceptual model is constructed by forming a simplified representation of hydrological processes involved in producing runoff from rainfall on a catchment.

The selected model is a tank model developed by IBIZA [6] and adapted for small steep basins under rainy climates.

The "runoff production function" is based on the water balance equation. The input data are the daily rainfalls and the potential evaporation providing the climate characteristics and some physical parameters providing the watershed characteristics.

- The movement of water over, into and through the soil is simulated by transfers from one level to another through a combination of stores :

The rainfalls supply a first storage at the vegetal layer (upper soil store) in which the vegetation takes evaporation. The water in excess is divided into two parts according to the soil permeability :

- a first part producing the fast runoff EC is determined by the fast flow rate q .
- the second part feeds by infiltration the underground storage constituted by the groundwater body (subsoil store HNO).

This last store HNO produces the base flow with a depletion coefficient AL but can also overflow in another store (interflow store HN01). The store HN01 produces a slow interflow with a coefficient R2 and also fast runoff, added to EC, when it is full.

The slow interflow is interpreted as a supplemental temporary drainage of the watertable by high points ("overflowing of the watertable") and the quantity of overflow is an increasing function of the watertable level.

The saturation of the subsoil store induces a reduction of infiltration which can be revealed by a concept of "rejected infiltration".

So for small basins under rainy climate, a balance occurs between input and output of the watertable which is termed as "maximum balance". Under these conditions the main parameters which govern the different slow flows are linked to one another and to the physical characteristics of the basin (permeability and slope) as shown by figures 2 to 4 which give such graphical relationships drawn from results of analysis of many volcanic basins in humid zone.

3.4. Calibration of the model

The three recorded catchments of BATAHAN (310 km²), TONGAR (266 km²) and MASANG (458 km²) were assumed to be pilot basins for the mountainous areas and have been used to compute the regional values of the model parameters :

- AL coefficient of depletion
- HNO capacity of the subsoil store
- R2 coefficient of slow interflow
- HNO1 capacity of the interflow store.

A first assessment of parameters is given by examination of the hydrographs (in logarithmic coordinates); then calibration is carried out by comparison between observed and computed discharges.

Because daily rainfall input were fictitious elaborated data (see paragraph 3.2) only monthly values have been compared.

Final optimised parameters are given in table 8.

TABLE 8. MAIN MODEL PARAMETERS FOR RECORDED BASINS

BASIN	Area km ²	Slope global index m/km	AL day ⁻¹	HNO mm	R2 day ⁻¹	HNO1	q
BATAHAN	310	30.2	0.008	670	0.168	130	0.30
TONGAR	266	31.6	0.005	870	0.192	100	0.35
MASANG	458	25.0	0.0035	935	0.158	100	0.40

3.5. Transposition to the sites

Figures 2 to 4 indicate that these results are in a good accordance with relationships carried out for volcanic basins in similar conditions.

So it was assumed that the relationships (fig. 2 to 4) between the model parameters and the physical characteristics were suitable for the sites.

Fig. 2 RELATION BETWEEN THE DEPLETION COEFFICIENT
(AL) AND THE SLOPE INDEX (IG)




Fig. 3

RELATION BETWEEN THE SUBSOIL STORE CAPACITY (HNO), THE FAST FLOW RATE (q) AND THE DEPLETION COEFFICIENT (AL)





Fig. 4 RELATION BETWEEN THE INTERFLOW STORE CAPACITY (HN_0), THE DEPLETION COEFFICIENT (AL) AND THE INTERFLOW COEFFICIENT (R_2)



+ WEST SUMATRA BASIN

The fast flow rate q was assumed to be constant for the region and equalled to the mean value 0.35 which is in accordance with a great permeability. Then the other parameters have been estimated by using the previous empirical relationships.

3.6. Generation of flow data

The monthly and yearly computed discharges of the 6 sites are given in appendix 2. Mean daily discharges are not included in this report.

4. ANALYSIS OF GENERATED FLOWS

4.1. Monthly and yearly flows

The overall quantity of surface water that is available in each basin for water resources management is well characterized by the mean annual flow.

Mean monthly flows serve as the main tool for describing intra-year distribution of runoff.

Monthly and annual discharges have been put in order by increasing values. Results are given in appendix 3 and are summarised in tables 9a and 9b.

Mean specific discharges are large and range from 106 l/s/km² for PATIMAH to 60.4 l/s/km² for SUMANI.

However, for a low-head water power development, with no or relatively small flow regulating capacity, the total annual electric output will depend much less on the annual volume of runoff than on its distribution throughout the year.

In such case with limited possibilities of water redistribution the main importance is the day-to-day water inventory and especially for the low flows period.

TABLE 9a. SUMMARY OF MEAN MONTHLY AND ANNUAL FLOWS (m³/s)

SITE		J	F	M	A	M	J	J	A	S	O	N	D	ANNUAL
GUNTUNG	Mean	11.2	8.77	9.71	11.2	9.45	6.52	5.43	5.74	8.73	11.8	15.2	16.2	9.98
	Min	6.88	6.02	5.52	5.91	5.26	4.18	3.49	3.45	4.58	7.10	11.9	7.64	6.75
	Max	21.3	12.4	21.9	20.4	16.8	11.2	8.44	7.85	16.0	16.9	24.6	24.5	13.2
BALANGIR	Mean	6.46	4.49	4.60	3.90	3.63	2.78	2.04	2.52	3.54	4.01	4.26	4.59	3.96
	Min	2.97	1.28	1.56	1.98	1.62	0.445	0.256	0.416	1.06	0.833	1.040	0.688	2.52
	Max	13.8	11.1	9.01	9.60	6.71	5.49	5.89	6.46	6.88	7.24	8.73	9.32	5.18
SUMANI	Mean	6.38	4.65	5.87	5.99	5.41	3.43	2.35	2.73	3.48	5.31	6.94	6.33	4.89
	Min	1.85	1.45	1.65	1.29	1.54	1.13	1.18	0.982	1.22	2.22	2.11	2.00	3.12
	Max	16.2	13.7	21.9	10.9	11.7	8.28	4.61	8.55	6.28	9.36	13.0	10.9	7.36

TABLE 9b. SUMMARY OF MEAN MONTHLY AND ANNUAL FLOWS (m³/s)

SITE		J	F	M	A	M	J	J	A	S	O	N	D	ANNUAL
SIKARBAU	Mean	9.97	6.78	8.50	11.3	9.12	6.85	4.85	5.79	8.17	12.1	14.5	11.3	9.09
	Min	4.92	3.14	4.41	6.27	6.04	3.66	2.62	2.50	3.70	5.04	4.77	5.52	6.05
	Max	18.5	15.1	12.5	19.3	18.3	14.4	10.1	10.4	14.2	32.2	34.7	21.4	13.0
PATIMAH	Mean	15.8	10.4	14.1	19.0	14.9	10.7	7.40	9.46	14.0	21.6	24.3	18.3	15.0
	Min	7.96	4.76	7.84	9.48	9.96	5.46	3.91	3.88	6.17	8.35	7.47	8.85	10.0
	Max	29.5	24.4	20.9	32.8	30.4	24.5	16.4	17.6	25.5	57.1	56.2	36.1	21.5
BAYANG SANI	Mean	1.04	0.581	0.873	0.996	0.664	0.425	0.427	0.554	0.934	1.23	1.38	1.39	0.861
	Min	0.206	0.152	0.130	0.301	0.232	0.139	0.068	0.073	0.072	0.070	0.348	0.577	0.471
	Max	2.32	1.44	1.62	2.53	1.79	0.944	1.65	1.50	3.05	2.41	2.59	3.39	1.16

4.2. Low flows

The daily discharges computed by the hydrological model are corresponding to natural discharges without abstraction by irrigation.

For water management purpose (and especially for run of river projects) it is very interesting to express mean daily flow by the duration curve.

For the mini-hydros of West SUMATRA, the analysis of low flows has been carried out as follows :

- In a first step, for each individual year, all the daily discharges have been ranged in decreasing order giving the annual flow duration curve.

So discharges DD_n not exceeded n days by year have been computed for different values of n and are given in appendix 4.

- In a second step, annual values of DD_n , for each specified time n , have been ranged in order from the whole period with computation of the observed frequency.

Tables in appendix 4 give the results of these operations.

- In a third step, different duration curves for low flows have been drawn from the previous results on figures 5 to 10 :

- the average duration curve T_m which give an average value of mean daily flow for a specified time of exceedance (in % of the time)
- the duration curves T_i (with $i = 2, 5, 10$) which give the value of mean daily flow for a specified time of exceedance (in % of the time) for a i year-return period.

TABLE 10a. LOW FLOW DISCHARGES (m^3/s)

SITE : GUNTUNG (147 km ²)										
Return period (years)	% of Time discharge is equalled or exceeded									
	5	10	20	30	50	70	80	90	95	100
2	28.0	18.9	11.3	8.65	6.70	5.98	5.45	4.85	4.70	4.25
5	22.3	12.1	7.97	6.64	5.80	4.71	4.60	3.90	3.60	3.45
10	15.7	9.89	7.11	5.95	5.15	4.33	3.85	3.30	3.20	3.00
mean year	29.1	17.6	11.0	8.52	6.70	5.74	5.25	4.70	4.50	4.25

TABLE 10b. LOW FLOW DISCHARGES (m³/s)

SITE : BALANGIR (40.6 km ²)										
Return period (years)	% of Time discharge is equalled or exceeded									
	5	10	20	30	50	70	80	90	95	100
2	12.5	8.52	5.34	3.60	2.35	1.70	1.53	1.20	1.00	0.700
5	9.88	6.64	4.07	3.00	2.00	1.35	1.03	0.710	0.575	0.380
10	8.99	6.32	3.40	2.42	1.70	1.12	0.900	0.575	0.440	0.300
mean year	12.0	8.42	5.09	3.54	2.30	1.71	1.44	1.10	0.950	0.700

TABLE 10c. LOW FLOW DISCHARGES (m³/s)


SITE : SUMANI (80.9 km ²)										
Return period (years)	% of Time discharge is equalled or exceeded									
	5	10	20	30	50	70	80	90	95	100
2	13.4	8.36	5.48	4.27	3.50	2.64	2.30	1.85	1.60	1.35
5	10.8	6.61	4.56	3.47	2.65	1.83	1.50	1.20	1.10	1.00
10	10.2	6.29	4.10	3.26	2.35	1.62	1.35	1.10	0.950	0.800
mean year	14.3	8.92	5.65	4.36	3.20	2.50	2.15	1.80	1.60	1.35

TABLE 10d. LOW FLOW DISCHARGES (m³/s)

SITE : SIKARBAU (115 km ²)										
Return period (years)	% of the Time discharge is equalled or exceeded									
	5	10	20	30	50	70	80	90	95	100
2	25.3	17.0	10.2	7.92	5.80	4.87	4.40	3.90	3.60	3.20
5	19.8	12.7	7.98	6.52	5.00	4.36	3.80	3.30	3.05	2.80
10	18.2	10.9	7.54	5.84	4.60	4.04	3.30	2.70	2.45	2.20
mean year	26.2	17.2	10.6	8.03	5.80	4.85	4.40	3.90	3.60	3.20

Fig. 5

SITE : GUNTUNG (147 km²)




Tm : mean
T2 : 2 - year return period
T5 : 5 - year return period
T10 : 10 - year return period

LOW FLOW DURATION CURVES

Fig. 6

SITE : BALANGIR (40.6 km²)




Tm : mean
T2 : 2-year return period
T5 : 5-year return period
T10 : 10-year return period

LOW FLOW DURATION CURVES

Fig. 7

SITE : SUMANI (80.9 km²)




Tm : mean
T2 : 2-year return period
T5 : 5-year return period
T10 : 10-year return period

LOW FLOW DURATION CURVES

Fig. 8

SITE : SIKARBAU (115 km²)




Tm : mean
T 2 : 2 - year return period
T 5 : 5 - year return period
T 10 : 10 - year return period

LOW FLOW DURATION CURVES

Fig. 9

SITE: PATIMAH (142 km²)




Tm : mean
T2 : 2 - year return period
T5 : 5 - year return period
T10 : 10 - year return period

LOW FLOW DURATION CURVES

Fig. 10

SITE : BAYANG SANI (9.74 km²)



Tm : mean
T2 : 2-year return period
T5 : 5-year return period
T10 : 10-year return period

LOW FLOW DURATION CURVES

TABLE 10e. LOW FLOW DISCHARGES (m³/s)

SITE : PATIMAH (142 km ²)										
Return period (years)	% of Time discharge is equalled or exceeded									
	5	10	20	30	50	70	80	90	95	100
2	42.6	29.4	18.7	13.1	8.80	6.98	6.40	5.75	5.05	4.40
5	34.3	23.6	13.8	10.0	7.40	6.12	5.50	4.95	4.55	4.20
10	32.4	20.3	12.4	9.05	7.00	6.04	4.85	3.95	3.70	3.15
mean year	44.7	29.4	18.4	13.2	8.80	6.97	6.25	5.60	5.10	4.40

TABLE 10f. LOW FLOW DISCHARGES (m³/s)

SITE : BAYANG SANI (9.74 km ²)										
Return period (years)	% of Time discharge is equalled or exceeded									
	5	10	20	30	50	70	80	90	95	100
2	2.89	2.09	1.26	0.810	0.360	0.270	0.220	0.185	0.150	0.115
5	2.25	1.36	0.734	0.454	0.290	0.220	0.175	0.140	0.110	0.900
10	2.11	1.27	0.624	0.394	0.240	0.164	0.140	0.115	0.950	0.600
mean year	2.94	1.89	1.15	0.735	0.380	0.270	0.230	0.190	0.160	0.130

5. FLOOD ESTIMATION

5.1. Procedure

To estimate the design flood peaks at the different sites, the "Rational Method" has been used by considering the following conventional formula :

$$Q_T = u C i_T A$$

where :

Q_T is the peak discharge of the design flood with return period T years.

i_T is the average intensity of the design rainstorm of duration equal to the "time of concentration" (T_c) and of return period T years.

A is the area of the supplying catchment.

C is the runoff coefficient which is a dimensionless coefficient normally considered to be a function of the catchment and design storm characteristics.

u is a constant coefficient depending of the units.

If Q_T is in m^3/s , i_T in mm/h , A in km^2 , u is equal to 0,278.

Two calculations have been undertaken using this procedure and corresponding to different approaches for estimation of the "time of concentration" (or characteristic time) and the runoff coefficient :

- method 1 is based on results of a regional study of flood estimation for rural cathments in Peninsular MALAYSIA [7].
- method 2 is based on results of similar studies carried out by ORSTOM [6], [8] on small volcanic basins under same climatic conditions.

5.2. Average intensity of the design rainstorm (i_T)

The rainfall dephts corresponding to selected return periods and a range of durations from minutes up to several days are required for flood design purpose.

Unfortunately, until very recently, there were few automatic rainrecorders in West SUMATRA an not any results of regional statistical analysis of rain-records are available for a duration less than the day.

Therefore, results of such a frequency analysis of short duration rainfall data in MALAYSIA [9] have been adapted and used.

The design intensity for a ponctual station has been adjusted to take account of the reduction in storm intensity with catchment area. Table 11 give values of the point rainfall depths adopted for all the sites.

TABLE 11. RAINFALL DEPTHS (in mm)

Return Period (years)	STORM DURATION (hours)						
	1/4	1/2	1	2	3	6	24
5	33	46	62	-	99	143	155
10	39	53	70	-	118	174	190
20	46	59	79	109	136	205	220
50	54	67	90	-	160	243	260

5.3. "Time of Concentration" (T_c)

In a theoretical concept this time is defined as being the time taken for the most remote part of the catchment to contribute to flow at the design point.

For a natural catchment, a more realistic concept of this characteristic time is defined as follows :

- In the method 1. This time is considered to be the minimum time of rise of a flood hydrograph that reflects total catchment contribution to flow at the design point (PILGRIM, 1972).

An empirical relationship derived in MALAYSIA study [9] relates T_c to measurable catchment physiographic characteristics.

It is of the form :

$$T_c = \frac{0.241 A^{0.117} L}{S^{0.467}}$$

where :

- T_c is the "time of concentration" in hours
- A is the catchment area in km²
- L is the length of the main stream in km
- S is the slope from the main stream in %.

- In the method 2. The characteristic time (θ) is defined as the ratio between the volume of the surface runoff (V) and the peak discharge of the flood (Q_T).

$$\theta = V/Q_T$$

IBIZA [6] gives empirical graphs which relate θ to the physical characteristics and the vegetative cover of the catchment.

5.4. Runoff coefficient (C)

- In the method 1 values of C are derived from an empirical relationship between the runoff coefficient and the intensity of the design storm. This relationship is the result of computation of C for observed flood data in the most rainy part of MALAYSIA.
- In the method 2 the runoff coefficient is taken depending of the daily rainfall for the selected return period and can be written for a return period T :

$$C_T = 1 - FJ/(aR_T)$$

where :

F_I is the daily capacity of infiltration which is estimated as a result of the hydrological model

R_T is the point daily rainfall for the return period T

a is the reduction in rainstorm with catchment area.

5.5. Computed peak discharges

Peak discharges for each site have been computed by the two methods for return period corresponding to the available rainstorms (5, 10, 20, 50 years).

Estimation of peak discharges for the 100 year-return period has been obtained by fitting a GALTON distribution model. Results are given in table 12 for method 1 and table 13 for method 2.

5.6. Design flood

For design flood estimation the higher value resulting of the 2 methods of calculation for the 100 years return period has been retained. Results are given in table 14.

Specific flood discharges are relatively high and range from 5,31 m³/s for the GUNTUNG (147 km²) to 18,5 m³/s/km² for the BAYANG SANI (10 km²).

These high values, due to the very steep gradient of the catchments and to the heavy rainfall intensities, are in agreement with other results of observed maximum floods in this part of INDONESIA [10] having regard to the areas of the drainage basins.

TABLE 12. PEAK DISCHARGE Q_T WITH RETURN PERIOD T YEARS (method 1)

SITE	Q_5		Q_{10}		Q_{20}		Q_{50}		Q_{100}	
	m^3/s	$m^3/s.km^2$	m^3/s	$m^3/1.Km^2$	m^3/s	$m^3/1.km^2$	m^3/s	$m^3/1.km^2$	m^3/s	$m^3/1.km^2$
GUNTUNG 147 km^2	274	1.87	330	2.25	392	2.67	464	3.16	520	3.54
BALANGIR 40.6 km^2	332	8.18	375	9.23	428	10.55	493	12.1	540	13.3
SUMANI 80.9 km^2	360	4.44	410	5.07	475	5.87	553	6.84	620	7.66
SIKARBAU 115 km^2	415	3.61	495	4.30	575	5.00	666	5.79	730	6.35
PATIMAH 142 km^2	501	3.53	598	4.21	694	4.89	804	5.66	880	6.20
BAYANG SANI 9.74 km^2	115	11.8	126	12.7	143	14.7	165	16.9	180	18.5

TABLE 13. PEAK DISCHARGE Q_T WITH RETURN PERIOD T YEARS (method 2)

SITE	Q_5		Q_{10}		Q_{20}		Q_{50}		Q_{100}	
	m^3/s	$m^3/s.km^2$	m^3/s	$m^3/s.km^2$	m^3/s	$m^3/s.km^2$	m^3/s	$m^3/s.km^2$	m^3/s	$m^3/s.km^2$
GÜNTUNG 147 km^2	393	2.7	465	3.16	542	3.69	691	4.70	780	5.31
BALANGIR 40.6 km^2	198	4.9	292	7.19	381	9.4	485	11.9	580	14.3
SUMANI 80.9 km^2	289	3.6	335	4.14	433	5.4	629	7.8	810	10.0
SIKARBAU 115 km^2	368	3.2	435	3.8	498	4.3	748	6.5	1020	8.87
PATIMAH 142 km^2	439	3.1	511	3.6	589	4.1	852	6.0	1150	8.10
BAYANG SANI 9.74 km^2	70	7.1	9.3	9.5	116	11.9	147	15.1	176	18.1

TABLE 14. ESTIMATION OF THE DESIGN FLOOD

SITE	AREA (km ²)	PEAK DISCHARGE	
		m ³ /s	m ³ /s.km ² .
GUNTUNG	147	780	5.31
BALANGIR	40.6	580	14.3
SUMANI	80.9	810	10.0
SIKARBAU	115	1020	8.87
PATIMAH	142	1150	8.10
BAYANG SANI	9.74	180	18.5

R E F E R E N C E S

- [1] - WEST SUMATRA DESIGN UNIT - Report on regional rainfall characteristics of West SUMATRA, may 1980.
Sir WILLIAM MALCROW and PARTNERS - O.D.A. London
West SUMATRA PUBLIC WORKS DEPARTMENT - Padang - Indonesia
- [2] - MINI HYDROS PROJECTS IN WEST SUMATRA - First stage report, june 1985
Renardet Engineering - Paris
Perusahaan Umum Listrik Negara.
- [3] - HIEZ (G) - The Homogeneity of rainfall data - (in french)
Cahiers ORSTOM, serie HYDROLOGIE, vol. XIV, n° 2 - 1977.
- [4] - BRUNET-MORET (Y) - Rainfall homogeneization - (in french)
Cahiers ORSTOM, serie HYDROLOGIE, vol. XVI, n° 3 et 4 - 1979.
- [5] - SCARF (F) - Evaporation in Peninsular MALAYSIA - 1976
Water Resources Publications N° 5 - Bahagian Parit dan Taliair
Kementerian Pertanian - MALAYSIA.
- [6] - IBIZA (D) - Predetermination of flows and discharges - (in french)
Cahiers ORSTOM, serie HYDROLOGIE, vol. XXI, n° 3 - 1985
- [7] - HEILER (T.D.) - Rational Method of flood estimation for rural catchments in Peninsular MALAYSIA - 1974
Hydrological Procedure N°5 - Bahagian Parit dan Taliair
Kementerian Pertanian dan Perikanan - MALAYSIA.
- [8] - GUISCAFRE (J), MONIOD (F) - Rainstorm intensity an flood hydrograph shape in a small homogeneous area - (in french)
Cahiers ORSTOM, serie HYDROLOGIE, vol. XII, n° 1 - 1975
- [9] - HEILER (T.D.) - Estimation of the design rainstorm - 1973
- [10] - RODIER (J.A.), ROCHE (M) - World Catalogue of maximum observed floods.
IASH - Publications N° 143 - 1984.

APPENDICES

APPENDIX 1

MONTHLY RAINFALLS
(Operational data set)

STATION NUMBER 540270

INDONESIA SUMATRA

LIKI

MONTHLY RAINFALLS (IN MM)

: YEAR:	JAN:	FEB:	MAR:	APR:	MAY:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	TOTAL:
: 1916:	556:	153:	296:	463:	379:	169:	304:	338:	208:	338:	111:	290:	3605:
: 1917:	843:	625:	298:	705:	202:	243:	255:	368:	451:	169:	72:	217:	4448:
: 1918:	551:	94:	379:	301:	373:	329:	292:	500:	225:	329:	665:	196:	4234:
: 1920:	425:	207:	573:	207:	167:	323:	49:	202:	160:	107:	370:	7:	2797:
: 1921:	421:	263:	239:	364:	291:	135:	106:	53:	409:	494:	269:	289:	3333:
: 1922:	532:	181:	256:	762:	219:	443:	218:	318:	401:	493:	308:	122:	4253:
: 1924:	511:	267:	511:	381:	438:	214:	125:	239:	332:	175:	31:	183:	3407:
: 1926:	345:	576:	576:	275:	392:	254:	252:	324:	288:	450:	325:	359:	4416:
: 1927:	314:	439:	170:	228:	104:	23:	45:	175:	265:	443:	421:	419:	3046:
: 1929:	182:	262:	335:	502:	344:	303:	197:	219:	293:	511:	392:	586:	4126:
: 1930:	349:	255:	532:	340:	452:	196:	31:	81:	428:	615:	335:	229:	3843:
: 1931:	588:	728:	447:	388:	300:	384:	344:	179:	375:	149:	426:	595:	4903:
: 1932:	461:	186:	239:	273:	251:	108:	268:	266:	348:	568:	430:	209:	3607:
: 1933:	987:	341:	275:	365:	448:	270:	314:	354:	527:	201:	182:	99:	4363:
: 1934:	695:	149:	295:	290:	151:	223:	201:	173:	362:	563:	161:	449:	3712:
: 1935:	396:	472:	344:	223:	169:	488:	149:	288:	343:	301:	398:	755:	4326:
: 1936:	273:	623:	506:	263:	501:	225:	74:	314:	380:	547:	378:	492:	4576:
: 1937:	588:	603:	313:	409:	320:	209:	179:	236:	629:	419:	491:	473:	4869:
: 1938:	441:	210:	487:	430:	219:	172:	231:	225:	352:	342:	260:	421:	3790:
: 1939:	286:	154:	286:	404:	179:	189:	47:	138:	346:	303:	225:	670:	3227:
: 1940:	277:	495:	345:	496:	225:	151:	101:	211:	366:	358:	560:	619:	4204:
: 1941:	376:	522:	321:	447:	362:	208:	190:	255:	307:	297:	507:	308:	4100:
: 1952:	616:	476:	230:	118:	306:	156:	173:	165:	301:	166:	221:	309:	3237:
: 1953:	362:	433:	555:	418:	403:	260:	485:	69:	309:	430:	246:	458:	4428:
: 1954:	584:	557:	675:	167:	202:	355:	334:	272:	190:	437:	170:	284:	4227:
: 1955:	1005:	253:	677:	485:	97:	408:	484:	401:	368:	263:	89:	389:	4919:
: 1956:	370:	440:	410:	267:	142:	109:	189:	257:	238:	356:	528:	317:	3623:
: 1957:	520:	294:	252:	683:	415:	115:	153:	150:	250:	407:	653:	687:	4579:
: MEAN:	495:	366:	387:	381:	288:	238:	207:	242:	338:	365:	329:	373:	4007:

STATION NUMBER 540380

INDONESIA SUMATRA

ALAHANPANDJANG

MONTHLY RAINFALLS (IN MM)

: YEAR:	JAN:	FEB:	MAR:	APR:	MAY:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	TOTAL:
: 1916:	128:	46:	130:	356:	132:	142:	184:	256:	220:	172:	90:	263:	2119:
: 1917:	293:	317:	200:	197:	179:	121:	141:	408:	193:	55:	57:	125:	2286:
: 1918:	177:	43:	387:	187:	168:	158:	101:	177:	178:	262:	491:	69:	2398:
: 1920:	285:	156:	504:	335:	168:	315:	38:	95:	130:	136:	281:	85:	2528:
: 1921:	0:	125:	114:	80:	123:	64:	157:	40:	311:	376:	205:	220:	1815:
: 1922:	132:	59:	88:	261:	110:	112:	61:	84:	124:	464:	273:	369:	2137:
: 1924:	182:	120:	303:	132:	315:	132:	103:	155:	284:	218:	132:	231:	2307:
: 1926:	215:	430:	713:	298:	283:	82:	156:	93:	182:	284:	288:	120:	3144:
: 1927:	105:	239:	110:	175:	92:	12:	55:	132:	177:	266:	438:	203:	2004:
: 1928:	545:	65:	182:	380:	228:	37:	94:	194:	344:	365:	383:	333:	3150:
: 1933:	408:	83:	177:	219:	196:	9:	72:	290:	122:	297:	209:	128:	2210:
: 1934:	233:	101:	146:	167:	86:	251:	36:	144:	223:	216:	147:	164:	1914:
: 1935:	127:	202:	144:	172:	147:	150:	126:	191:	161:	290:	280:	393:	2383:
: 1936:	166:	206:	279:	153:	254:	57:	23:	133:	133:	261:	121:	149:	1935:
: 1937:	447:	283:	136:	205:	203:	85:	39:	54:	247:	356:	339:	239:	2633:
: 1938:	155:	114:	381:	277:	191:	40:	61:	106:	185:	253:	297:	238:	2298:
: 1939:	91:	73:	134:	265:	148:	79:	9:	28:	195:	322:	209:	410:	1963:
: 1940:	82:	240:	316:	242:	356:	84:	81:	117:	147:	185:	374:	286:	2510:
: 1941:	226:	157:	189:	391:	270:	83:	51:	87:	170:	216:	492:	181:	2513:
: MEAN:	210:	161:	244:	236:	192:	106:	84:	147:	196:	263:	269:	221:	2329:

STATION NUMBER 540381

INDONESIA SUMATRA

INDRAPURA

MONTHLY RAINFALLS (IN MM)

: YEAR:	JAN:	FEB:	MAR:	APR:	MAY:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	TOTAL:
: 1924:	395:	380:	184:	273:	287:	138:	185:	556:	264:	387:	394:	263:	3706:
: 1926:	404:	218:	192:	457:	216:	166:	69:	144:	122:	665:	357:	218:	3228:
: 1929:	479:	283:	221:	295:	54:	69:	7:	176:	311:	272:	486:	297:	2950:
: 1930:	257:	125:	284:	372:	140:	198:	26:	198:	370:	532:	290:	198:	2990:
: 1931:	343:	458:	290:	518:	218:	290:	276:	97:	235:	346:	167:	290:	3528:
: 1932:	161:	119:	156:	213:	135:	221:	27:	97:	364:	742:	235:	182:	2652:
: 1933:	387:	449:	78:	113:	60:	112:	158:	236:	342:	324:	347:	319:	2925:
: 1934:	356:	74:	387:	506:	51:	285:	277:	141:	118:	195:	451:	248:	3089:
: 1935:	409:	549:	236:	306:	99:	384:	139:	128:	417:	413:	466:	450:	3996:
: 1936:	386:	403:	284:	211:	203:	70:	181:	285:	196:	336:	266:	300:	3121:
: 1937:	226:	252:	270:	377:	169:	135:	108:	355:	471:	532:	603:	633:	4131:
: 1938:	236:	105:	376:	204:	310:	115:	419:	266:	337:	436:	784:	420:	4008:
: 1939:	383:	168:	107:	155:	125:	123:	104:	161:	144:	251:	322:	498:	2541:
: 1940:	145:	136:	415:	147:	288:	133:	72:	107:	307:	483:	460:	772:	3465:
: 1941:	321:	378:	295:	326:	388:	112:	178:	308:	438:	415:	598:	389:	4146:
: 1951:	487:	335:	173:	235:	192:	312:	182:	259:	588:	390:	582:	542:	4277:
: 1952:	437:	231:	447:	301:	208:	177:	188:	233:	402:	553:	644:	162:	3983:
: 1953:	250:	232:	631:	206:	73:	120:	131:	115:	113:	154:	554:	434:	3013:
: 1954:	161:	132:	67:	250:	123:	178:	308:	497:	496:	433:	413:	174:	3232:
: 1955:	221:	142:	57:	105:	50:	45:	60:	230:	130:	795:	780:	750:	3365:
: 1956:	192:	134:	238:	85:	40:	95:	165:	235:	472:	275:	375:	492:	2798:
: 1957:	200:	245:	370:	425:	235:	115:	345:	280:	520:	585:	564:	415:	4299:
: 1979:	326:	330:	229:	566:	156:	317:	496:	287:	223:	569:	640:	253:	4392:
: MEAN:	311:	256:	260:	289:	166:	170:	178:	234:	321:	438:	469:	378:	3471:

STATION NUMBER 540422

INDONESIA SUMATRA

BARUNG BALANTAI

MONTHLY RAINFALLS (IN MM)

: YEAR:	JAN:	FEB:	MAR:	APR:	MAY:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	TOTAL:
: 1924:	484:	364:	573:	156:	454:	184:	347:	251:	417:	602:	417:	478:	4727:
: 1926:	150:	266:	405:	804:	126:	183:	324:	352:	321:	594:	323:	611:	4459:
: 1927:	213:	262:	504:	330:	221:	71:	123:	333:	506:	493:	618:	342:	4016:
: 1928:	305:	166:	418:	214:	230:	163:	192:	396:	327:	335:	631:	198:	3575:
: 1929:	454:	336:	301:	330:	350:	70:	24:	345:	353:	626:	653:	625:	4467:
: 1930:	382:	302:	408:	435:	277:	258:	233:	225:	483:	694:	378:	258:	4333:
: 1931:	503:	379:	375:	301:	221:	355:	244:	142:	441:	611:	394:	750:	4716:
: 1932:	159:	127:	125:	400:	159:	120:	0:	241:	236:	600:	481:	400:	3048:
: 1933:	521:	230:	280:	300:	272:	119:	86:	248:	229:	228:	515:	275:	3303:
: 1934:	383:	10:	184:	357:	239:	414:	359:	76:	197:	571:	714:	363:	3867:
: 1935:	207:	394:	430:	450:	348:	368:	361:	458:	537:	823:	407:	587:	5370:
: 1936:	425:	377:	268:	446:	458:	141:	301:	376:	376:	381:	560:	348:	4457:
: 1937:	375:	340:	120:	488:	191:	175:	91:	79:	324:	311:	407:	365:	3266:
: 1938:	81:	114:	532:	226:	244:	152:	276:	249:	698:	530:	801:	1115:	5018:
: 1939:	722:	393:	274:	517:	164:	138:	49:	421:	497:	741:	211:	464:	4591:
: 1940:	353:	291:	494:	364:	340:	284:	113:	402:	426:	771:	485:	565:	4888:
: 1941:	269:	261:	402:	677:	301:	154:	160:	421:	406:	518:	603:	712:	4884:
: 1953:	439:	116:	560:	404:	135:	293:	575:	120:	1095:	760:	277:	500:	5274:
: 1954:	708:	278:	189:	495:	185:	213:	391:	560:	260:	295:	859:	262:	4695:
: 1955:	390:	425:	249:	585:	610:	215:	90:	165:	205:	165:	380:	270:	3749:
: 1956:	525:	135:	395:	115:	100:	315:	410:	315:	305:	100:	511:	875:	4101:
: 1957:	210:	150:	615:	413:	335:	120:	205:	205:	315:	425:	320:	645:	3958:
: 1958:	385:	270:	520:	150:	165:	60:	0:	100:	85:	70:	425:	445:	2675:
: MEAN:	376:	260:	375:	389:	266:	198:	215:	282:	393:	489:	494:	498:	4236:

STATION NUMBER 540470

INDONESIA SUMATRA

SOLOK

MONTHLY RAINFALLS (IN MM)

YEAR:	JAN:	FEB:	MAR:	APR:	MAY:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	TOTAL:
: 1916:	124:	77:	242:	189:	190:	82:	119:	215:	110:	245:	78:	160:	1831:
: 1917:	329:	365:	242:	107:	201:	236:	102:	413:	152:	58:	6:	93:	2304:
: 1918:	178:	48:	163:	149:	156:	205:	55:	155:	157:	195:	363:	225:	2049:
: 1920:	249:	41:	432:	350:	126:	169:	19:	16:	43:	212:	298:	55:	2010:
: 1921:	283:	209:	220:	89:	152:	71:	109:	86:	235:	296:	145:	224:	2119:
: 1922:	207:	72:	215:	260:	89:	58:	38:	27:	71:	300:	217:	127:	1681:
: 1924:	302:	192:	274:	66:	171:	97:	149:	88:	232:	136:	84:	142:	1933:
: 1926:	235:	321:	118:	179:	301:	113:	24:	186:	170:	210:	455:	130:	2442:
: 1927:	94:	248:	131:	46:	55:	48:	18:	147:	295:	161:	246:	210:	1699:
: 1928:	352:	109:	173:	289:	162:	29:	116:	89:	58:	151:	191:	101:	1820:
: 1929:	41:	182:	206:	327:	146:	153:	10:	92:	196:	227:	115:	351:	2046:
: 1931:	387:	340:	301:	282:	114:	204:	131:	57:	308:	125:	206:	473:	2928:
: 1932:	242:	76:	389:	178:	212:	83:	110:	173:	125:	303:	124:	82:	2097:
: 1933:	397:	114:	183:	167:	271:	43:	92:	231:	109:	126:	134:	49:	1916:
: 1934:	216:	67:	170:	93:	48:	128:	36:	202:	123:	281:	101:	150:	1615:
: 1935:	207:	363:	319:	197:	69:	153:	73:	122:	108:	175:	204:	503:	2493:
: 1936:	211:	126:	234:	183:	333:	58:	64:	241:	117:	232:	240:	115:	2154:
: 1937:	196:	254:	68:	301:	92:	124:	53:	98:	380:	259:	349:	175:	2349:
: 1938:	184:	72:	266:	206:	92:	44:	69:	76:	290:	273:	171:	183:	1926:
: 1939:	236:	61:	126:	256:	86:	38:	40:	25:	234:	244:	101:	347:	1794:
: 1940:	58:	83:	221:	285:	198:	31:	23:	88:	68:	232:	209:	299:	1795:
: 1941:	244:	222:	210:	260:	250:	92:	127:	123:	98:	162:	312:	122:	2222:
: 1952:	305:	247:	138:	154:	194:	38:	44:	93:	180:	122:	9:	60:	1584:
: 1953:	208:	172:	266:	201:	115:	92:	238:	39:	120:	163:	60:	173:	1847:
: 1954:	304:	364:	273:	68:	104:	7:	101:	78:	84:	228:	97:	117:	1825:
: 1955:	267:	163:	163:	112:	35:	2:	30:	173:	218:	133:	19:	124:	1439:
: 1957:	63:	76:	272:	348:	173:	18:	50:	60:	67:	265:	252:	261:	1905:
: 1959:	177:	160:	136:	380:	160:	110:	14:	72:	230:	162:	204:	75:	1880:
: 1960:	185:	319:	99:	153:	3:	51:	246:	83:	68:	155:	59:	274:	1695:
: 1967:	98:	80:	82:	437:	176:	102:	86:	101:	136:	100:	333:	189:	1920:
: 1969:	270:	125:	153:	269:	126:	34:	85:	162:	111:	139:	260:	302:	2036:
: 1977:	181:	135:	288:	229:	191:	35:	159:	0:	0:	125:	423:	166:	1932:
: 1978:	162:	247:	390:	457:	181:	0:	52:	56:	89:	282:	165:	384:	2465:
: MEAN:	218:	174:	217:	220:	151:	83:	81:	117:	151:	196:	189:	195:	1992:

STATION NUMBER 540473

INDONESIA SUMATRA

KUBANGNAN DUA

MONTHLY RAINFALLS (IN MM)

YEAR:	JAN:	FEB:	MAR:	APR:	MAY:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	TOTAL:
: 1924:	110:	63:	351:	38:	53:	164:	60:	117:	138:	185:	20:	53:	1352:
: 1926:	300:	170:	305:	365:	270:	205:	30:	180:	115:	350:	360:	120:	2770:
: 1927:	165:	335:	400:	185:	190:	15:	25:	145:	290:	275:	250:	160:	2435:
: 1928:	320:	80:	65:	220:	220:	75:	165:	105:	75:	195:	260:	20:	1800:
: 1929:	140:	60:	160:	200:	110:	264:	45:	115:	240:	319:	218:	606:	2477:
: 1933:	507:	64:	142:	125:	340:	10:	20:	176:	163:	133:	236:	14:	1930:
: 1934:	253:	5:	77:	222:	154:	196:	5:	66:	151:	197:	124:	170:	1620:
: 1935:	187:	210:	196:	224:	84:	185:	39:	297:	94:	212:	305:	504:	2537:
: 1936:	111:	233:	134:	183:	177:	41:	37:	124:	297:	264:	228:	195:	2024:
: 1937:	334:	284:	66:	193:	138:	139:	58:	168:	425:	296:	497:	198:	2796:
: 1938:	260:	79:	448:	416:	265:	105:	55:	340:	162:	351:	402:	496:	3379:
: 1939:	540:	113:	130:	468:	27:	60:	0:	23:	298:	287:	112:	478:	2536:
: 1940:	306:	267:	246:	372:	208:	122:	55:	164:	236:	296:	440:	321:	3033:
: 1941:	317:	275:	265:	372:	346:	157:	27:	303:	299:	288:	678:	284:	3611:
: MEAN:	275:	160:	213:	256:	184:	124:	44:	166:	213:	261:	295:	259:	2450:

STATION NUMBER 540530

INDONESIA SUMATRA

PADANG PANJANG

MONTHLY RAINFALLS (IN MM)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1916	415	105	273	291	140	98	206	194	282	332	440	476	3252
1917	396	370	238	360	169	86	134	285	250	244	160	486	3178
1918	263	194	239	195	136	199	139	125	236	258	476	348	2808
1920	311	339	244	293	201	111	250	200	154	237	259	282	2881
1921	401	303	212	364	239	86	99	150	194	244	321	249	2862
1922	275	217	326	268	137	54	98	277	342	490	561	430	3475
1924	226	228	440	175	331	58	97	254	225	297	290	400	3021
1926	258	210	329	267	329	207	127	130	162	412	341	217	2989
1927	245	153	290	306	96	71	111	78	385	264	576	543	3118
1928	331	204	324	334	233	84	233	156	272	316	471	209	3167
1929	219	434	186	213	279	72	86	122	353	408	340	388	3100
1930	204	41	318	253	388	214	31	149	307	317	327	261	2810
1931	424	305	225	230	144	326	156	199	208	291	220	491	3219
1932	170	186	280	427	173	145	108	196	303	479	319	342	3128
1933	530	267	323	287	245	55	119	234	155	358	480	340	3393
1934	358	74	183	293	97	196	233	202	180	393	500	306	3015
1935	136	338	175	325	344	128	171	165	228	293	491	460	3254
1936	302	75	200	264	273	331	114	247	170	252	766	460	3454
1937	274	430	204	301	162	137	220	79	226	310	369	379	3091
1938	311	134	266	496	304	105	75	133	261	299	488	400	3272
1939	266	218	311	335	280	224	88	194	219	424	326	521	3406
1940	218	204	224	309	298	146	191	239	264	223	252	475	3043
1941	212	205	245	531	349	137	129	423	162	210	307	440	3350
1954	147	424	418	584	295	380	179	184	300	458	509	277	4155
1955	465	233	341	473	296	286	160	235	196	295	451	628	4059
1956	358	204	211	173	85	78	216	192	296	245	590	409	3057
1957	227	103	281	490	291	41	252	169	239	256	282	498	3129
1959	129	151	345	248	143	60	20	231	172	167	315	822	2803
1960	324	165	135	374	123	164	360	230	460	322	234	493	3384
1963	240	155	278	353	595	92	289	47	160	503	349	732	3793
1964	405	413	333	502	201	101	443	204	370	490	413	622	4497
1965	202	192	563	270	563	317	146	236	346	388	382	457	4062
1966	864	119	317	597	202	186	160	211	165	326	541	299	3987
1967	406	121	195	255	251	146	406	129	294	164	357	444	3168
1969	371	392	431	459	339	301	415	417	206	204	582	465	4582
1970	186	111	338	381	181	194	137	62	295	413	557	258	3113
1971	243	168	448	220	195	176	229	209	416	384	400	518	3606
1972	346	355	559	573	216	248	185	64	263	109	290	551	3759
1975	224	236	134	339	169	86	203	308	321	262	287	354	2923
1976	161	112	393	329	112	260	324	217	421	490	709	193	3721
1977	240	228	162	308	153	112	80	163	380	245	567	398	3036
1979	162	208	170	356	245	312	218	165	141	498	423	216	3114
MEAN	296	222	288	343	238	162	182	193	261	323	412	418	3339

STATION NUMBER 540533

INDONESIA SUMATRA

PAALEMBAJAN

MONTHLY RAINFALLS (IN MM)

YEAR:	JAN:	FEB:	MAR:	APR:	MAY:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	TOTAL:
: 1924:	335:	253:	402:	118:	330:	228:	105:	119:	390:	403:	229:	160:	3072:
: 1927:	187:	197:	191:	266:	148:	27:	38:	31:	550:	327:	384:	333:	2679:
: 1928:	237:	212:	176:	273:	219:	74:	170:	60:	328:	327:	153:	2289:	
: 1929:	109:	286:	111:	113:	74:	87:	14:	139:	234:	253:	343:	235:	1998:
: 1933:	280:	220:	159:	285:	347:	40:	38:	248:	387:	167:	265:	345:	2781:
: 1934:	101:	53:	279:	313:	101:	175:	66:	75:	344:	353:	286:	252:	2398:
: 1935:	94:	215:	88:	224:	54:	108:	114:	217:	165:	246:	344:	417:	2286:
: 1936:	160:	88:	207:	106:	124:	47:	64:	114:	284:	279:	318:	139:	1930:
: 1937:	168:	149:	125:	179:	151:	55:	37:	71:	246:	446:	475:	398:	2500:
: 1938:	115:	45:	247:	344:	220:	120:	168:	150:	194:	405:	428:	417:	2853:
: 1939:	284:	43:	197:	293:	245:	32:	39:	130:	267:	477:	224:	459:	2690:
: 1940:	157:	204:	279:	349:	233:	103:	113:	187:	219:	423:	453:	364:	3084:
: 1941:	141:	140:	169:	190:	202:	195:	73:	215:	263:	267:	333:	440:	2628:
: 1955:	131:	217:	245:	404:	166:	64:	71:	218:	108:	377:	342:	329:	2672:
: 1956:	211:	211:	297:	116:	140:	75:	160:	196:	223:	281:	418:	368:	2696:
: MEAN:	181:	169:	211:	238:	184:	95:	85:	145:	262:	335:	345:	321:	2570:

STATION NUMBER 540540

INDONESIA SUMATRA

BUKITTINGGI

MONTHLY RAINFALLS (IN MM)

YEAR:	JAN:	FEB:	MAR:	APR:	MAY:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	TOTAL:
: 1916:	170:	50:	194:	173:	174:	110:	101:	212:	203:	237:	153:	172:	1949:
: 1917:	262:	292:	230:	155:	128:	161:	165:	296:	164:	80:	28:	189:	2150:
: 1918:	209:	58:	242:	138:	209:	188:	154:	227:	179:	280:	395:	94:	2373:
: 1920:	140:	74:	236:	285:	151:	214:	50:	75:	168:	142:	290:	53:	1878:
: 1921:	261:	142:	166:	196:	94:	94:	105:	94:	215:	153:	156:	249:	1925:
: 1922:	206:	105:	74:	247:	96:	42:	59:	68:	228:	313:	149:	214:	1801:
: 1924:	264:	163:	440:	175:	231:	58:	97:	254:	225:	297:	290:	400:	2894:
: 1926:	181:	135:	190:	117:	169:	59:	67:	87:	130:	164:	234:	195:	1728:
: 1927:	112:	61:	174:	224:	77:	13:	80:	90:	300:	249:	274:	196:	1850:
: 1928:	324:	234:	146:	251:	133:	53:	112:	99:	72:	206:	280:	77:	1987:
: 1929:	96:	195:	140:	338:	211:	148:	23:	101:	233:	303:	214:	155:	2157:
: 1930:	253:	55:	231:	219:	116:	181:	21:	83:	213:	418:	278:	290:	2358:
: 1931:	456:	275:	258:	154:	130:	213:	150:	53:	270:	271:	152:	408:	2790:
: 1932:	141:	62:	262:	383:	99:	169:	44:	172:	154:	229:	197:	258:	2170:
: 1933:	263:	119:	236:	253:	241:	67:	117:	203:	97:	224:	234:	87:	2141:
: 1934:	258:	64:	159:	216:	128:	126:	92:	187:	183:	243:	199:	140:	1995:
: 1935:	104:	291:	180:	283:	112:	82:	101:	257:	191:	302:	296:	313:	2512:
: 1936:	184:	114:	213:	138:	211:	82:	61:	115:	255:	178:	249:	187:	1987:
: 1938:	94:	111:	371:	244:	98:	67:	48:	139:	213:	214:	176:	158:	1933:
: 1940:	118:	172:	148:	280:	206:	30:	82:	164:	113:	259:	291:	282:	2145:
: 1941:	184:	116:	212:	299:	127:	84:	90:	146:	256:	163:	185:	275:	2137:
: 1954:	454:	340:	250:	215:	49:	88:	159:	106:	103:	310:	303:	154:	2531:
: 1955:	399:	168:	138:	252:	151:	65:	112:	169:	130:	275:	206:	376:	2441:
: 1957:	200:	176:	317:	322:	287:	83:	154:	195:	140:	352:	403:	306:	2935:
: 1960:	180:	239:	226:	237:	7:	103:	226:	102:	289:	202:	210:	355:	2376:
: 1963:	234:	300:	140:	322:	374:	83:	93:	13:	47:	340:	211:	380:	2537:
: 1964:	158:	366:	145:	279:	123:	117:	140:	82:	95:	148:	88:	269:	2010:
: 1965:	96:	175:	136:	182:	106:	46:	44:	132:	182:	173:	408:	152:	1832:
: 1966:	308:	71:	135:	348:	74:	225:	87:	326:	146:	113:	230:	66:	2129:
: MEAN:	218:	163:	207:	239:	149:	105:	98:	146:	179:	236:	234:	222:	2195:

STATION NUMBER 540590

INDONESIA SUMATRA

LUBUKSIKAPING

MONTHLY RAINFALLS (IN MM)

: YEAR:	JAN:	FEB:	MAR:	APR:	MAY:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	TOTAL:
: 1916:	224:	106:	347:	525:	311:	156:	284:	222:	347:	312:	382:	575:	3791:
: 1917:	409:	283:	273:	331:	338:	99:	231:	476:	260:	345:	146:	382:	3573:
: 1918:	216:	117:	458:	386:	417:	450:	239:	197:	516:	668:	1070:	333:	5067:
: 1920:	367:	294:	550:	684:	286:	256:	231:	214:	212:	387:	623:	438:	4542:
: 1921:	401:	359:	327:	349:	290:	260:	203:	295:	394:	583:	406:	254:	4121:
: 1922:	441:	227:	283:	535:	267:	98:	44:	329:	264:	782:	367:	492:	4129:
: 1924:	311:	253:	571:	177:	372:	246:	241:	314:	484:	235:	404:	302:	3910:
: 1926:	203:	183:	293:	388:	425:	255:	274:	144:	345:	289:	385:	197:	3381:
: 1927:	178:	106:	387:	476:	115:	88:	98:	186:	723:	720:	539:	366:	3982:
: 1928:	511:	199:	290:	578:	274:	121:	232:	175:	264:	382:	536:	387:	3949:
: 1929:	179:	385:	292:	581:	356:	288:	115:	320:	537:	719:	732:	227:	4731:
: 1930:	557:	169:	447:	578:	408:	341:	140:	377:	356:	1315:	569:	369:	5626:
: 1931:	580:	496:	442:	643:	290:	601:	471:	77:	491:	599:	610:	760:	6060:
: 1932:	260:	222:	486:	636:	679:	248:	88:	507:	310:	745:	529:	631:	5341:
: 1933:	618:	202:	523:	522:	542:	209:	390:	347:	260:	317:	532:	336:	4798:
: 1934:	395:	83:	438:	506:	126:	537:	164:	252:	364:	703:	605:	260:	4433:
: 1935:	230:	447:	363:	464:	237:	349:	124:	403:	426:	606:	889:	581:	5119:
: 1936:	420:	96:	365:	297:	390:	239:	207:	229:	690:	638:	497:	332:	4400:
: 1937:	338:	442:	480:	339:	216:	82:	133:	296:	512:	499:	487:	639:	4463:
: 1938:	325:	198:	543:	437:	485:	122:	360:	465:	451:	494:	403:	434:	4717:
: 1940:	262:	407:	419:	428:	415:	159:	129:	492:	365:	696:	656:	450:	4878:
: 1941:	390:	365:	535:	534:	436:	207:	198:	221:	552:	673:	626:	419:	5156:
: 1952:	215:	214:	195:	277:	276:	18:	92:	161:	311:	201:	212:	207:	2379:
: 1953:	189:	280:	376:	284:	370:	56:	332:	154:	317:	646:	286:	324:	3614:
: 1954:	467:	288:	488:	408:	244:	221:	348:	304:	153:	510:	284:	324:	4039:
: 1955:	224:	216:	383:	431:	176:	76:	131:	274:	371:	462:	307:	483:	3534:
: 1956:	368:	244:	564:	191:	82:	208:	246:	216:	333:	238:	472:	323:	3485:
: 1974:	89:	205:	200:	446:	328:	108:	188:	214:	620:	205:	410:	444:	3457:
: 1975:	117:	288:	284:	403:	287:	117:	478:	236:	405:	237:	250:	203:	3305:
: 1976:	146:	119:	182:	375:	207:	332:	369:	414:	316:	516:	491:	230:	3697:
: 1977:	285:	202:	265:	844:	211:	268:	155:	307:	295:	523:	600:	252:	4207:
: 1978:	274:	239:	547:	625:	687:	199:	335:	246:	219:	550:	756:	354:	5031:
: 1979:	204:	264:	279:	300:	136:	354:	551:	312:	282:	372:	716:	247:	4017:
: 1980:	177:	219:	589:	587:	555:	262:	300:	256:	292:	469:	391:	501:	4598:
: MEAN:	311:	248:	396:	458:	330:	224:	239:	283:	383:	519:	505:	384:	4280:

APPENDIX 2

COMPUTED MONTHLY DISCHARGES

INDONESIA WEST-SUMATRA SITE OF GUNTUNG (147.0 Km2)

STATION NUMBER 11000002

COMPUTED MEAN MONTHLY AND ANNUAL DISCHARGES (M3/S)

YEAR:	JAN:	FEB:	MAR:	APR:	MAI:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	ANNUAL:
: 24	:21.3:	:12.4:	:21.9:	:7.69:	:15.2:	:11.2:	:6.97:	:6.48:	:16.0:	:16.9:	:14.2:	:8.65:	: 13.3:
: 25	:	:	:	:	:	:	:	:	:	:	:	:	:
: 26	:	:	:	:	:	:	:	:	:	:	:	:	:
: 27	:10.3:	:8.69:	:8.81:	:12.9:	:7.27:	:5.62:	:4.77:	:4.01:	:13.1:	:13.6:	:17.1:	:21.3:	: 10.6:
: 28	:11.8:	:10.6:	:10.3:	:10.5:	:10.0:	:6.99:	:8.44:	:5.29:	:4.58:	:8.74:	:12.8:	:7.98:	: 9.00:
: 29	:6.88:	:11.6:	:5.52:	:5.91:	:5.26:	:4.18:	:3.49:	:3.45:	:5.32:	:7.10:	:12.2:	:10.7:	: 6.76:
: 30	:	:	:	:	:	:	:	:	:	:	:	:	:
: 31	:	:	:	:	:	:	:	:	:	:	:	:	:
: 32	:	:	:	:	:	:	:	:	:	:	:	:	:
: 33	:	:	:	:	:	:	:	:	:	:	:	:	:
: 34	:11.7:	:9.81:	:9.68:	:12.0:	:16.8:	:6.41:	:5.31:	:6.44:	:13.9:	:8.06:	:11.9:	:15.1:	: 10.6:
: 35	:8.14:	:6.02:	:9.61:	:13.4:	:8.13:	:7.08:	:5.14:	:4.59:	:10.1:	:12.5:	:12.0:	:12.1:	: 9.08:
: 36	:7.88:	:8.99:	:5.98:	:7.99:	:6.35:	:5.00:	:4.56:	:7.85:	:6.14:	:8.12:	:13.6:	:17.2:	: 8.30:
: 37	:9.89:	:6.43:	:7.72:	:6.63:	:5.92:	:4.58:	:4.08:	:3.81:	:7.48:	:8.67:	:12.4:	:7.64:	: 7.10:
: 38	:7.18:	:7.37:	:6.44:	:6.63:	:6.05:	:4.54:	:3.82:	:3.57:	:5.46:	:13.9:	:19.7:	:19.1:	: 8.65:
: 39	:9.16:	:6.25:	:8.24:	:15.5:	:11.0:	:7.27:	:6.94:	:7.17:	:7.69:	:14.3:	:20.8:	:24.5:	: 11.6:
: 40	:17.2:	:6.98:	:7.34:	:12.8:	:11.0:	:6.20:	:5.26:	:5.01:	:8.75:	:15.7:	:11.9:	:20.4:	: 10.8:
: 41	:12.2:	:8.53:	:12.8:	:18.9:	:12.5:	:7.23:	:6.07:	:7.50:	:8.56:	:15.4:	:24.6:	:19.7:	: 12.8:
: 42	:12.1:	:6.99:	:7.67:	:8.23:	:10.1:	:9.37:	:5.38:	:7.07:	:10.3:	:11.3:	:12.2:	:23.1:	: 10.3:
: 43	:	:	:	:	:	:	:	:	:	:	:	:	:
: 44	:	:	:	:	:	:	:	:	:	:	:	:	:
: 45	:	:	:	:	:	:	:	:	:	:	:	:	:
: 46	:	:	:	:	:	:	:	:	:	:	:	:	:
: 47	:	:	:	:	:	:	:	:	:	:	:	:	:
: 48	:	:	:	:	:	:	:	:	:	:	:	:	:
: 49	:	:	:	:	:	:	:	:	:	:	:	:	:
: 50	:	:	:	:	:	:	:	:	:	:	:	:	:
: 51	:	:	:	:	:	:	:	:	:	:	:	:	:
: 52	:	:	:	:	:	:	:	:	:	:	:	:	:
: 53	:	:	:	:	:	:	:	:	:	:	:	:	:
: 54	:	:	:	:	:	:	:	:	:	:	:	:	:
: 55	:9.70:	:10.4:	:11.2:	:20.4:	:9.67:	:6.36:	:5.48:	:6.99:	:5.02:	:12.3:	:15.5:	:17.2:	: 10.8:
: 56	:12.0:	:10.5:	:12.5:	:8.28:	:6.57:	:5.73:	:5.69:	:6.89:	:8.62:	:11.2:	:16.5:	:19.0:	: 10.3:
: MEAN:	:	:	:	:	:	:	:	:	:	:	:	:	:
:24-56:	:11.2:	:8.77:	:9.71:	:11.2:	:9.45:	:6.52:	:5.43:	:5.74:	:8.73:	:11.9:	:15.2:	:16.2:	: 10.0:

INDONESIA WEST-SUMATRA SITE OF BALANGIR (40.6 Km2)
 STATION NUMBER 11000004

COMPUTED MEAN MONTHLY AND ANNUAL DISCHARGES (M3/S)

: YEAR:	JAN:	FEB:	MAR:	APR:	MAI:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	ANNUAL:
: 16	:11.5	:2.68	:3.37	:8.06	:6.20	:3.29	:4.32	:6.46	:3.94	:4.50	:3.21	:4.63	: 5.20:
: 17	:10.5	:8.42	:4.30	:9.47	:2.40	:2.70	:1.73	:4.80	:5.60	:1.77	:1.25	:1.51	: 4.50:
: 18	:6.61	:1.36	:2.89	:3.20	:4.77	:3.83	:3.28	:5.57	:3.25	:3.53	:8.63	:2.52	: 4.14:
: 19	:	:	:	:	:	:	:	:	:	:	:	:	:
: 20	:5.65	:1.70	:7.01	:2.77	:1.97	:2.68	:1.08	:.870	:1.14	:.833	:3.33	:1.34	: 2.54:
: 21	:4.00	:2.23	:3.14	:2.92	:4.17	:2.28	:.752	:.416	:2.60	:4.96	:3.85	:4.38	: 2.98:
: 22	:6.69	:1.92	:2.71	:9.60	:2.56	:5.49	:2.32	:3.35	:5.20	:4.69	:4.26	:2.33	: 4.26:
: 23	:	:	:	:	:	:	:	:	:	:	:	:	:
: 24	:4.94	:3.58	:6.00	:5.65	:4.91	:2.77	:1.16	:1.84	:3.50	:1.76	:1.04	:.688	: 3.15:
: 25	:	:	:	:	:	:	:	:	:	:	:	:	:
: 26	:2.97	:6.72	:8.36	:3.75	:4.83	:3.16	:2.13	:3.48	:3.09	:5.21	:4.50	:4.18	: 4.35:
: 27	:4.38	:5.10	:1.56	:2.76	:1.62	:.445	:.255	:.453	:1.06	:4.72	:5.15	:5.28	: 2.72:
: 28	:	:	:	:	:	:	:	:	:	:	:	:	:
: 29	:3.01	:2.35	:3.17	:6.87	:3.51	:3.87	:2.45	:2.41	:2.53	:5.54	:5.91	:7.08	: 4.06:
: 30	:4.37	:3.27	:6.20	:3.77	:6.57	:2.45	:.953	:.438	:2.78	:7.22	:5.12	:2.52	: 3.81:
: 31	:7.06	:11.1	:5.25	:4.27	:4.29	:4.71	:2.88	:2.83	:4.39	:1.49	:4.24	:7.65	: 4.97:
: 32	:6.22	:2.24	:1.85	:3.44	:2.41	:1.70	:1.46	:3.25	:3.88	:7.24	:4.85	:3.44	: 3.51:
: 33	:12.9	:3.93	:4.00	:4.43	:5.21	:2.90	:3.34	:4.77	:6.40	:2.54	:1.58	:1.22	: 4.45:
: 34	:7.36	:2.53	:2.38	:3.10	:2.61	:1.70	:1.60	:1.81	:4.20	:6.37	:2.40	:4.30	: 3.38:
: 35	:5.84	:5.19	:3.95	:3.45	:1.73	:5.00	:2.04	:2.41	:4.44	:3.04	:5.14	:9.32	: 4.29:
: 36	:4.54	:7.37	:6.31	:3.55	:6.71	:2.62	:.936	:1.85	:4.97	:5.77	:5.35	:6.14	: 4.67:
: 37	:7.88	:7.33	:4.89	:5.27	:4.15	:1.87	:1.78	:2.08	:6.88	:5.87	:5.94	:6.25	: 5.00:
: 38	:6.02	:2.60	:5.28	:6.04	:2.39	:2.17	:1.73	:2.53	:3.52	:3.60	:3.45	:4.58	: 3.67:
: 39	:4.44	:1.28	:2.14	:4.20	:2.89	:1.95	:.868	:.604	:2.82	:3.08	:2.55	:8.07	: 2.92:
: 40	:4.25	:5.59	:4.00	:6.57	:2.43	:1.99	:.908	:1.22	:4.51	:3.40	:7.10	:8.04	: 4.15:
: 41	:5.87	:5.94	:4.08	:5.80	:3.63	:2.73	:2.15	:2.39	:3.18	:3.26	:5.99	:4.75	: 4.13:
: 42	:	:	:	:	:	:	:	:	:	:	:	:	:
: 43	:	:	:	:	:	:	:	:	:	:	:	:	:
: 44	:	:	:	:	:	:	:	:	:	:	:	:	:
: 45	:	:	:	:	:	:	:	:	:	:	:	:	:
: 46	:	:	:	:	:	:	:	:	:	:	:	:	:
: 47	:	:	:	:	:	:	:	:	:	:	:	:	:
: 48	:	:	:	:	:	:	:	:	:	:	:	:	:
: 49	:	:	:	:	:	:	:	:	:	:	:	:	:
: 50	:	:	:	:	:	:	:	:	:	:	:	:	:
: 51	:	:	:	:	:	:	:	:	:	:	:	:	:
: 52	:7.21	:6.48	:2.26	:1.99	:3.06	:1.59	:1.55	:1.24	:2.38	:1.65	:2.31	:3.64	: 2.94:
: 53	:3.77	:5.80	:7.08	:5.29	:5.12	:3.25	:5.89	:1.17	:2.19	:4.46	:3.38	:4.84	: 4.35:
: 54	:8.68	:6.75	:9.01	:2.81	:1.77	:3.90	:3.26	:3.24	:1.92	:4.56	:2.31	:2.92	: 4.26:
: 55	:13.8	:2.97	:8.85	:6.19	:2.29	:3.66	:4.63	:5.98	:4.72	:2.96	:1.36	:3.09	: 5.07:
: 56	:4.56	:5.28	:5.13	:3.20	:2.58	:.835	:.737	:2.02	:2.57	:3.58	:6.32	:4.55	: 3.44:
: 57	:5.86	:3.95	:3.71	:8.67	:5.00	:2.31	:.995	:.944	:1.40	:4.62	:8.73	:9.32	: 4.62:
: MEAN:	:	:	:	:	:	:	:	:	:	:	:	:	:
: 16-57	:6.46	:4.49	:4.60	:4.90	:3.63	:2.78	:2.04	:2.52	:3.54	:4.01	:4.26	:4.59	: 3.98:

INDONESIA WEST-SUMATRA SITE OF SUMANI (80.9 Km2)
STATION NUMBER 11000006

COMPUTED MEAN MONTHLY AND ANNUAL DISCHARGES (M3/S)

: YEAR:	JAN:	FEB:	MAR:	APR:	MAI:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	ANNUAL:
: 16	:5.94	:2.97	:2.65	:7.59	:3.93	:3.47	:4.61	:5.86	:5.35	:3.74	:3.32	:5.12	4.55:
: 17	:7.32	:8.57	:5.98	:5.00	:5.47	:3.99	:3.01	:8.55	:6.12	:3.01	:2.11	:2.00	5.07:
: 18	:2.89	:1.72	:7.05	:4.36	:4.27	:4.48	:2.54	:3.20	:4.13	:5.84	:13.0	:4.31	4.82:
: 19	:	:	:	:	:	:	:	:	:	:	:	:	:
: 20	:6.45	:5.08	:12.3	:10.9	:5.12	:8.28	:3.38	:2.27	:2.26	:2.22	:5.63	:3.26	5.59:
: 21	:1.85	:1.45	:1.65	:1.29	:1.54	:1.13	:1.57	:1.40	:5.19	:8.69	:5.91	:5.89	3.14:
: 22	:4.55	:2.50	:1.79	:3.53	:3.95	:2.41	:1.58	:1.34	:1.22	:8.41	:6.89	:10.9	4.11:
: 23	:	:	:	:	:	:	:	:	:	:	:	:	:
: 24	:6.15	:4.07	:6.54	:4.88	:7.63	:3.97	:2.88	:3.42	:5.92	:5.71	:3.65	:5.38	5.03:
: 25	:	:	:	:	:	:	:	:	:	:	:	:	:
: 26	:5.46	:13.7	:21.9	:9.46	:8.06	:3.38	:3.50	:2.55	:3.82	:5.65	:7.42	:4.12	7.38:
: 27	:3.07	:5.44	:2.89	:4.10	:3.57	:1.68	:1.18	:1.14	:1.65	:4.50	:9.89	:7.68	3.88:
: 28	:16.2	:3.60	:3.47	:10.2	:6.51	:3.05	:2.02	:2.77	:6.28	:9.36	:11.5	:10.8	7.16:
: 29	:	:	:	:	:	:	:	:	:	:	:	:	:
: 30	:	:	:	:	:	:	:	:	:	:	:	:	:
: 31	:	:	:	:	:	:	:	:	:	:	:	:	:
: 32	:	:	:	:	:	:	:	:	:	:	:	:	:
: 33	:12.6	:3.92	:4.28	:5.93	:5.21	:2.34	:1.57	:4.10	:2.60	:5.73	:4.87	:4.79	4.85:
: 34	:6.24	:2.82	:2.96	:3.52	:3.36	:4.58	:2.05	:1.96	:4.45	:4.23	:3.66	:4.65	3.71:
: 35	:2.78	:4.28	:4.08	:3.59	:3.47	:3.49	:2.80	:3.68	:3.47	:6.17	:7.93	:10.6	4.70:
: 36	:6.40	:5.12	:6.78	:5.07	:6.30	:2.93	:1.90	:1.52	:1.64	:4.46	:3.65	:3.06	4.07:
: 37	:10.8	:7.41	:4.80	:4.72	:5.07	:3.89	:2.17	:1.52	:3.18	:6.02	:9.37	:7.31	5.51:
: 38	:5.91	:3.06	:8.39	:8.27	:6.20	:2.73	:1.82	:1.54	:2.43	:4.48	:7.46	:6.11	4.88:
: 39	:4.29	:2.38	:2.31	:5.06	:3.33	:2.45	:1.56	:.982	:2.00	:4.48	:5.90	:10.0	3.74:
: 40	:4.51	:5.44	:7.62	:6.12	:11.7	:3.62	:2.29	:2.25	:2.28	:3.93	:7.62	:7.83	5.44:
: 41	:7.84	:4.87	:4.17	:10.2	:8.03	:3.36	:2.29	:1.74	:2.11	:4.25	:12.0	:6.47	5.60:
: MEAN:	:	:	:	:	:	:	:	:	:	:	:	:	:
: 16-41	:6.38	:4.65	:5.87	:5.99	:5.41	:3.43	:2.35	:2.73	:3.48	:5.31	:6.94	:6.33	4.91:

INDONESIA WEST-SUMATRA SITE OF SIKARBAU (115.0 Km2)
STATION NUMBER 11000012

COMPUTED MEAN MONTHLY AND ANNUAL DISCHARGES (M3/S)

YEAR:	JAN:	FEB:	MAR:	APR:	MAI:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	ANNUAL:
: 16	:10.1	:4.64	:5.84	:10.8	:7.32	:4.73	:4.84	:4.97	:6.96	:6.27	:7.19	:12.5	: 7.19:
: 17	:10.8	:7.69	:7.62	:6.65	:8.43	:3.98	:3.70	:8.60	:5.88	:6.43	:4.77	:6.47	: 6.76:
: 18	:5.40	:3.41	:7.09	:8.23	:9.57	:10.8	:5.76	:5.19	:9.45	:13.0	:34.4	:11.2	: 10.3:
: 19	:	:	:	:	:	:	:	:	:	:	:	:	:
: 20	:9.78	:6.66	:11.8	:19.2	:7.37	:7.69	:5.11	:4.47	:3.88	:7.14	:12.1	:11.4	: 8.88:
: 21	:10.6	:9.27	:8.98	:7.99	:6.95	:5.69	:4.62	:5.59	:9.20	:11.2	:10.8	:7.74	: 8.21:
: 22	:9.35	:5.52	:7.46	:11.0	:6.76	:4.89	:3.01	:2.99	:3.70	:15.4	:8.66	:11.4	: 7.53:
: 23	:	:	:	:	:	:	:	:	:	:	:	:	:
: 24	:8.56	:8.13	:11.6	:6.27	:6.68	:7.13	:4.77	:5.69	:10.7	:5.54	:9.05	:7.01	: 7.58:
: 25	:	:	:	:	:	:	:	:	:	:	:	:	:
: 26	:5.13	:4.48	:5.00	:7.09	:9.99	:6.87	:5.37	:3.92	:6.18	:5.04	:8.11	:5.52	: 6.06:
: 27	:4.92	:3.14	:4.41	:8.00	:6.04	:3.66	:2.62	:2.50	:9.01	:18.3	:15.0	:9.57	: 7.28:
: 28	:13.1	:5.88	:6.06	:13.6	:7.03	:4.55	:3.83	:3.96	:4.58	:6.17	:11.0	:9.39	: 7.43:
: 29	:6.98	:6.72	:6.52	:13.7	:10.0	:6.90	:4.27	:4.74	:10.4	:15.7	:22.6	:8.13	: 9.71:
: 30	:13.3	:5.58	:9.10	:14.4	:10.9	:8.88	:4.68	:6.53	:8.11	:32.2	:19.4	:9.48	: 11.9:
: 31	:15.3	:15.1	:9.75	:18.3	:7.36	:14.4	:10.1	:6.89	:9.75	:12.5	:15.6	:21.9	: 13.0:
: 32	:10.1	:5.02	:9.32	:17.6	:18.3	:7.81	:4.34	:7.91	:6.90	:17.7	:13.6	:17.4	: 11.4:
: 33	:18.5	:6.12	:11.0	:13.9	:14.3	:6.82	:7.05	:8.49	:6.09	:7.47	:11.2	:9.86	: 10.1:
: 34	:10.3	:4.47	:6.21	:9.49	:7.03	:10.6	:5.38	:5.19	:6.65	:13.3	:16.3	:8.86	: 8.66:
: 35	:7.35	:8.95	:8.43	:9.66	:7.42	:8.65	:4.48	:7.86	:8.81	:12.2	:25.4	:16.7	: 10.5:
: 36	:11.4	:5.32	:6.25	:7.28	:8.46	:6.16	:4.22	:4.22	:14.2	:14.5	:15.0	:9.77	: 8.90:
: 37	:7.51	:10.5	:10.8	:9.34	:6.64	:3.95	:3.05	:3.71	:9.49	:9.45	:10.6	:18.2	: 8.59:
: 38	:9.07	:6.34	:12.2	:11.6	:11.0	:5.33	:6.53	:10.4	:10.9	:10.5	:11.2	:10.1	: 9.62:
: 39	:	:	:	:	:	:	:	:	:	:	:	:	:
: 40	:8.78	:8.50	:9.17	:9.36	:12.0	:5.36	:4.05	:8.86	:7.77	:12.9	:19.6	:12.7	: 9.92:
: 41	:13.1	:7.73	:12.5	:14.6	:11.2	:5.95	:4.99	:4.64	:11.2	:12.8	:18.1	:12.6	: 10.8:
: MEAN:	:	:	:	:	:	:	:	:	:	:	:	:	:
: 16-41	:9.97	:6.78	:8.50	:11.3	:9.12	:6.85	:4.85	:5.79	:8.17	:12.1	:14.5	:11.3	: 9.10:

INDONESIA WEST-SUMATRA SITE OF PATIMAH (142.0 Km2)

STATION NUMBER 11000015

COMPUTED MEAN MONTHLY AND ANNUAL DISCHARGES (M3/S)

YEAR:	JAN:	FEB:	MAR:	APR:	MAI:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	ANNUAL:
: 16	:14.4:	5.95:	9.28:	18.3:	11.8:	7.22:	7.65:	8.34:	11.8:	10.5:	12.1:	22.5:	11.7:
: 17	:18.4:	11.9:	12.0:	10.6:	14.0:	5.75:	5.98:	14.7:	9.61:	10.9:	7.47:	11.1:	11.1:
: 18	:8.87:	5.26:	12.4:	14.2:	16.8:	18.2:	8.89:	8.01:	16.2:	25.1:	55.8:	16.9:	17.2:
: 19	:	:	:	:	:	:	:	:	:	:	:	:	:
: 20	:15.2:	10.1:	20.0:	32.8:	10.8:	11.9:	7.74:	6.88:	6.17:	12.2:	21.3:	20.0:	14.6:
: 21	:17.5:	14.8:	14.2:	12.9:	11.1:	9.07:	7.29:	9.32:	15.8:	19.8:	18.4:	12.0:	13.5:
: 22	:15.4:	8.46:	12.0:	19.1:	10.7:	7.36:	4.31:	4.72:	6.45:	28.6:	14.2:	20.3:	12.7:
: 23	:	:	:	:	:	:	:	:	:	:	:	:	:
: 24	:12.9:	12.7:	19.8:	9.48:	10.5:	11.6:	7.70:	9.29:	19.5:	8.35:	15.2:	11.4:	12.3:
: 25	:	:	:	:	:	:	:	:	:	:	:	:	:
: 26	:8.11:	7.01:	8.38:	12.1:	17.9:	11.0:	8.51:	6.09:	10.4:	8.44:	14.0:	8.85:	10.1:
: 27	:7.96:	4.76:	7.84:	14.1:	10.1:	5.46:	3.91:	3.88:	16.7:	34.2:	24.7:	14.9:	12.4:
: 28	:21.6:	8.37:	9.26:	23.0:	11.1:	6.70:	6.12:	6.39:	7.62:	10.6:	19.5:	16.0:	12.2:
: 29	:11.0:	10.9:	10.7:	23.7:	16.7:	10.7:	6.28:	7.68:	18.2:	29.4:	36.6:	11.6:	16.1:
: 30	:22.0:	7.81:	14.9:	24.3:	17.8:	14.3:	6.54:	10.9:	13.6:	57.1:	30.2:	14.3:	19.6:
: 31	:25.7:	24.4:	15.6:	30.8:	10.8:	24.5:	16.4:	9.99:	16.5:	21.5:	26.3:	36.1:	21.5:
: 32	:15.4:	6.96:	15.5:	30.4:	30.4:	11.3:	5.68:	13.3:	11.2:	31.8:	22.1:	28.9:	18.6:
: 33	:29.5:	8.63:	18.0:	23.9:	23.7:	9.67:	10.8:	14.2:	9.53:	12.3:	19.4:	16.4:	16.4:
: 34	:17.1:	6.00:	10.3:	16.5:	11.5:	17.9:	8.14:	8.29:	11.2:	24.6:	29.0:	12.3:	14.4:
: 35	:11.0:	14.6:	13.9:	16.4:	12.1:	14.0:	6.37:	13.2:	14.9:	21.5:	43.6:	26.6:	17.3:
: 36	:18.0:	7.00:	9.80:	11.7:	14.1:	9.74:	6.73:	6.88:	25.5:	26.5:	24.2:	14.8:	14.6:
: 37	:11.3:	17.7:	18.5:	15.0:	9.96:	5.48:	4.35:	6.52:	16.7:	16.3:	19.5:	30.9:	14.3:
: 38	:13.4:	9.48:	20.7:	19.5:	18.1:	7.40:	10.3:	17.6:	18.7:	17.2:	18.9:	17.0:	15.7:
: 39	:	:	:	:	:	:	:	:	:	:	:	:	:
: 40	:13.6:	13.6:	15.3:	15.4:	20.9:	7.49:	5.72:	14.8:	12.9:	24.8:	32.1:	20.4:	16.4:
: 41	:20.3:	11.7:	20.9:	24.9:	17.9:	8.45:	7.40:	7.10:	19.3:	24.3:	29.1:	20.5:	17.7:
: MEAN:	:	:	:	:	:	:	:	:	:	:	:	:	:
:16-41:	15.8:	10.4:	14.1:	19.0:	14.9:	10.7:	7.40:	9.46:	14.0:	21.6:	24.3:	18.4:	15.0:

INDONESIA WEST-SUMATRA SITE OF BAYANG SANI (9.74 Km2)

STATION NUMBER 11000018

COMPUTED MEAN MONTHLY AND ANNUAL DISCHARGES (M3/S)

YEAR:	JAN:	FEB:	MAR:	APR:	MAY:	JUN:	JUL:	AUG:	SEP:	OCT:	NOV:	DEC:	ANNUAL:
: 24	:1.33	:1.27	:1.62	:1.03	:1.13	:.755	:.926	:.541	:1.27	:1.35	:1.14	:1.34	: 1.14
: 25	:	:	:	:	:	:	:	:	:	:	:	:	:
: 26	:.468	:.391	:.931	:2.53	:.479	:.211	:.367	:.932	:.765	:1.61	:.968	:1.45	: 0.927
: 27	:.618	:.526	:1.30	:.774	:.488	:.305	:.159	:.398	:1.26	:1.23	:1.83	:1.04	: 0.827
: 28	:.851	:.223	:.807	:.575	:.310	:.267	:.293	:.834	:.810	:.758	:1.72	:.637	: 0.674
: 29	:1.24	:.642	:.770	:.618	:.943	:.222	:.110	:.227	:.864	:1.51	:2.01	:1.85	: 0.919
: 30	:1.18	:.536	:.957	:1.29	:.461	:.603	:.450	:.424	:1.39	:1.74	:1.06	:.716	: 0.902
: 31	:1.27	:.845	:1.01	:.746	:.419	:.917	:.399	:.321	:1.01	:1.63	:1.05	:2.16	: 0.983
: 32	:.557	:.190	:.130	:.742	:.359	:.168	:.088	:.137	:.211	:1.43	:1.58	:1.08	: 0.557
: 33	:1.27	:.534	:.652	:.585	:.706	:.336	:.134	:.242	:.333	:.296	:1.48	:.654	: 0.601
: 34	:.849	:.195	:.183	:.451	:.665	:.944	:.850	:.256	:.194	:1.33	:2.12	:1.18	: 0.771
: 35	:.492	:.716	:1.10	:1.28	:.904	:.850	:.786	:1.27	:1.39	:2.41	:1.16	:1.64	: 1.17
: 36	:1.32	:.788	:.703	:1.12	:1.21	:.276	:.475	:.806	:1.06	:.998	:1.62	:.780	: 0.929
: 37	:1.12	:.680	:.251	:1.11	:.389	:.372	:.162	:.113	:.314	:.667	:.955	:1.11	: 0.602
: 38	:.206	:.152	:1.00	:.404	:.593	:.239	:.395	:.596	:1.94	:1.36	:2.55	:3.39	: 1.07
: 39	:2.32	:.839	:.660	:1.52	:.393	:.204	:.116	:.674	:1.32	:1.95	:.644	:1.17	: 0.986
: 40	:.985	:.612	:1.10	:.836	:1.08	:.559	:.243	:.704	:1.35	:2.05	:1.37	:1.56	: 1.04
: 41	:.679	:.546	:.889	:2.17	:.536	:.345	:.238	:1.07	:.914	:1.24	:1.92	:2.07	: 1.05
: 42	:	:	:	:	:	:	:	:	:	:	:	:	:
: 43	:	:	:	:	:	:	:	:	:	:	:	:	:
: 44	:	:	:	:	:	:	:	:	:	:	:	:	:
: 45	:	:	:	:	:	:	:	:	:	:	:	:	:
: 46	:	:	:	:	:	:	:	:	:	:	:	:	:
: 47	:	:	:	:	:	:	:	:	:	:	:	:	:
: 48	:	:	:	:	:	:	:	:	:	:	:	:	:
: 49	:	:	:	:	:	:	:	:	:	:	:	:	:
: 50	:	:	:	:	:	:	:	:	:	:	:	:	:
: 51	:	:	:	:	:	:	:	:	:	:	:	:	:
: 52	:	:	:	:	:	:	:	:	:	:	:	:	:
: 53	:1.36	:.226	:1.30	:.858	:.550	:.403	:1.65	:.241	:3.05	:2.29	:.821	:1.21	: 1.17
: 54	:2.19	:.750	:.375	:1.13	:.425	:.450	:.738	:1.50	:.512	:.832	:2.59	:.577	: 1.01
: 55	:.858	:1.44	:.568	:1.51	:1.79	:.503	:.185	:.170	:.197	:.152	:.739	:.652	: 0.724
: 56	:1.41	:.280	:.773	:.301	:.232	:.460	:.720	:.911	:.646	:.282	:1.19	:2.63	: 0.824
: 57	:.476	:.301	:1.62	:.905	:.937	:.249	:.260	:.303	:.617	:1.14	:.832	:1.70	: 0.784
: 58	:.888	:.690	:1.38	:.423	:.265	:.139	:.068	:.073	:.072	:.070	:.348	:1.37	: 0.483
: MEAN:	:	:	:	:	:	:	:	:	:	:	:	:	:
:24-58:	:1.04	:.581	:.873	:.996	:.664	:.425	:.427	:.554	:.934	:1.23	:1.38	:1.39	: 0.875

APPENDIX 3

COMPUTED MONTHLY DISCHARGES IN ORDER

STATION NUMBER 11000002

INDONESIA WEST-SUMATRA SITE OF GUNTUNG

(147.0 Km²)

MONTHLY AND ANNUAL DISCHARGES IN ORDER (M³/S)

R	P	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1	0.033	6.88	6.02	5.52	5.91	5.26	4.18	3.49	3.45	4.58	7.10	11.90	7.64	6.75
2	0.100	7.18	6.25	5.98	6.63	5.92	4.54	3.82	3.57	5.02	8.06	11.90	7.98	7.08
3	0.167	7.88	6.43	6.44	6.63	6.05	4.58	4.08	3.81	5.32	8.12	12.00	8.68	8.28
4	0.233	8.14	6.98	7.34	7.59	6.35	5.00	4.56	4.01	5.46	8.67	12.20	10.70	8.63
5	0.300	9.16	6.99	7.67	7.99	6.57	5.62	4.77	4.59	6.14	8.74	12.20	12.10	8.97
6	0.367	9.70	7.37	7.72	8.23	7.27	5.73	5.14	5.01	7.48	11.20	12.40	15.10	9.06
7	0.433	9.89	8.53	8.24	8.28	8.13	6.20	5.26	5.29	7.69	11.30	12.80	17.20	10.27
8	0.500	10.30	8.69	8.81	10.50	9.67	6.36	5.31	6.44	8.56	12.30	13.60	17.20	10.33
9	0.567	11.70	8.99	9.61	12.00	10.00	6.41	5.38	6.48	8.62	12.50	14.20	19.00	10.57
10	0.633	11.80	9.81	9.68	12.80	10.10	6.99	5.48	6.89	8.75	13.60	15.50	19.10	10.60
11	0.700	12.00	10.40	10.30	12.90	11.00	7.08	5.69	6.99	10.10	13.90	16.50	19.70	10.73
12	0.767	12.10	10.50	11.20	13.40	11.00	7.23	6.07	7.07	10.30	14.30	17.10	20.40	10.82
13	0.833	12.20	10.60	12.50	15.50	12.50	7.27	6.94	7.17	13.10	15.40	19.70	21.30	11.81
14	0.900	17.20	11.60	12.80	18.90	15.20	9.37	6.97	7.50	13.90	15.70	20.80	23.10	12.81
15	0.967	21.30	12.40	21.90	20.40	16.80	11.20	8.44	7.85	16.00	16.90	24.60	24.50	13.23
AVERAGE		11.16	8.77	9.71	11.18	9.45	6.52	5.43	5.74	8.73	11.85	15.16	16.24	9.98

R = RANK

P = PROBABILITY

STATION NUMBER 11000004

INDONESIA WEST-SUMATRA SITE OF BALANGIR

(40.6 Km²)

MONTHLY AND ANNUAL DISCHARGES IN ORDER (M³/S)

R	P	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1	0.018	2.970	1.280	1.560	1.990	1.620	0.445	0.255	0.416	1.060	0.833	1.040	0.688	2.522
2	0.054	3.010	1.360	1.850	2.760	1.730	0.835	0.737	0.438	1.140	1.490	1.250	1.220	2.699
3	0.089	3.770	1.700	2.140	3.770	1.770	1.590	0.752	0.453	1.400	1.650	1.360	1.340	3.901
4	0.125	4.000	1.920	2.260	4.810	1.970	1.700	0.868	0.604	1.920	1.760	1.560	1.510	4.921
5	0.161	4.250	2.230	2.380	6.920	2.290	1.700	0.908	0.870	2.190	1.770	1.310	2.330	5.962
6	0.196	4.370	2.240	2.710	1.100	2.390	1.870	0.936	0.944	2.380	2.540	2.310	2.330	6.134
7	0.232	4.380	2.350	2.890	2.200	2.400	1.950	0.953	1.170	2.530	2.600	2.400	2.520	6.353
8	0.268	4.440	2.530	3.140	3.200	2.410	1.990	0.995	1.220	2.570	2.960	2.550	2.920	6.423
9	0.304	4.54	2.60	3.17	3.44	2.43	2.17	1.08	1.24	2.60	3.08	3.21	3.09	6.499
10	0.339	4.56	2.68	3.37	3.45	2.56	2.28	1.16	1.81	2.78	3.26	3.33	3.44	6.655
11	0.375	4.94	2.97	3.71	3.55	2.58	2.31	1.46	1.84	2.82	3.40	3.38	3.64	6.800
12	0.411	5.65	3.27	3.95	3.75	2.61	2.45	1.55	1.85	3.09	3.53	3.45	4.18	6.805
13	0.446	5.84	3.58	4.00	3.77	2.89	2.62	1.60	2.02	3.18	3.58	3.85	4.30	6.111
14	0.482	5.86	3.93	4.00	4.20	3.06	2.68	1.73	2.08	3.25	3.60	4.24	4.38	6.412
15	0.518	5.87	3.95	4.08	4.27	3.51	2.70	1.73	2.39	3.50	4.46	4.26	4.55	6.413
16	0.554	6.02	4.10	4.30	4.43	3.63	2.73	1.78	2.41	3.52	4.50	4.50	4.58	6.424
17	0.589	6.22	4.19	4.89	5.27	4.15	2.77	2.04	2.41	3.88	4.56	4.85	4.63	6.424
18	0.625	6.61	4.28	5.13	5.29	4.17	2.90	2.13	2.53	3.94	4.62	5.12	4.75	6.427
19	0.661	6.69	4.59	5.65	6.65	4.29	3.16	2.15	2.83	4.20	4.69	5.14	4.84	6.433
20	0.696	7.06	4.80	6.28	8.04	4.77	3.25	2.32	2.24	4.39	4.72	5.15	5.28	6.434
21	0.732	7.21	4.94	6.60	8.04	4.83	3.32	2.45	2.44	4.44	4.96	5.15	6.14	6.442
22	0.768	7.36	4.48	6.20	6.19	4.91	3.66	2.68	3.35	4.51	5.21	5.91	6.25	6.448
23	0.804	7.68	6.72	6.31	6.57	5.00	3.63	2.88	3.48	4.72	5.21	5.91	7.08	6.461
24	0.839	8.68	6.75	7.01	6.87	5.12	4.21	3.36	3.25	4.77	5.21	5.91	7.65	6.465
25	0.875	10.50	7.33	7.08	8.06	5.20	4.90	4.44	4.77	4.97	5.21	5.91	8.04	6.465
26	0.911	11.50	7.37	8.36	8.06	5.20	4.90	4.63	5.57	5.60	5.21	5.91	8.04	6.465
27	0.946	12.90	8.42	8.85	9.47	5.57	5.71	4.63	5.98	6.40	5.21	5.91	8.04	6.465
28	0.982	13.80	11.10	9.01	9.60	6.71	5.49	5.89	6.46	6.88	7.24	8.73	8.32	6.465
AVERAGE		6.46	4.49	4.60	4.90	3.63	2.78	2.04	2.52	3.54	4.01	4.26	4.59	3.96

R = RANK

P = PROBABILITY

STATION NUMBER 11000006

INDONESIA WEST-SUMATRA

SITE OF SUMANI

(80.9 Km²)

MONTHLY AND ANNUAL DISCHARGES IN ORDER (M³/S)

R	P	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1	0.026	1.850	1.450	1.650	1.290	1.540	1.130	1.180	0.982	1.220	2.220	2.110	2.000	3.123
2	0.079	2.78	1.72	1.79	3.52	3.33	1.68	1.56	1.14	1.64	3.01	3.32	3.06	3.69
3	0.132	2.89	2.38	2.31	3.53	3.36	2.34	1.57	1.34	1.65	3.74	3.65	3.26	3.72
4	0.184	3.07	2.50	2.65	3.59	3.47	2.41	1.57	1.40	2.00	3.93	3.65	4.12	3.87
5	0.237	4.29	2.82	2.89	4.10	3.57	2.45	1.58	1.52	2.11	4.23	3.66	4.31	4.06
6	0.289	4.51	2.97	2.96	4.36	3.93	2.73	1.82	1.52	2.26	4.25	4.87	4.65	4.09
7	0.342	4.55	3.06	3.47	4.72	3.95	2.93	1.90	1.54	2.28	4.46	5.63	4.79	4.53
8	0.395	5.46	3.60	4.08	4.88	4.27	3.05	2.02	1.74	2.43	4.48	5.90	5.12	4.68
9	0.447	5.91	3.92	4.17	5.00	5.07	3.36	2.05	1.96	2.60	4.48	5.91	5.38	4.81
10	0.500	5.94	4.07	4.28	5.06	5.12	3.36	1.7	2.25	2.47	4.50	6.89	5.89	4.83
11	0.553	6.15	4.28	4.80	5.07	5.21	3.47	2.29	2.27	2.82	4.65	7.42	6.11	4.88
12	0.605	6.24	4.57	5.98	5.93	5.47	3.49	2.54	2.55	3.82	4.71	7.46	6.47	5.01
13	0.658	6.40	5.08	6.54	6.12	5.20	3.82	2.77	2.77	4.13	5.73	7.62	7.31	5.05
14	0.711	6.45	5.12	7.78	7.59	6.30	3.89	2.80	3.30	4.45	5.84	7.93	7.68	5.42
15	0.763	7.32	5.44	8.27	8.27	6.51	3.97	2.88	4.42	5.19	6.02	9.37	7.83	4.49
16	0.816	7.84	5.44	7.62	9.46	7.63	3.99	3.01	4.68	5.35	6.17	9.89	10.00	5.57
17	0.868	10.80	7.41	8.39	10.20	8.03	4.48	3.88	4.10	5.92	8.41	11.50	10.60	5.78
18	0.921	12.60	8.57	12.30	10.20	8.06	4.58	3.50	5.86	6.12	8.69	12.00	10.80	7.14
19	0.974	16.20	13.70	21.90	10.90	11.70	8.28	4.61	8.55	6.28	9.36	13.00	10.90	7.36
AVERAGE	6.38	4.65	5.87	5.99	5.41	3.43	2.73	3.48	5.31	6.94	6.33	4.89		

R = RANK P = PROBABILITY

STATION NUMBER 11000012

INDONESIA WEST-SUMATRA

SITE OF SIKARBAU

(115.0 Km²)

MONTHLY AND ANNUAL DISCHARGES IN ORDER (M³/S)

R	P	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1	0.023	4.92	3.14	4.41	6.27	6.04	3.66	2.62	2.50	3.70	5.04	4.77	5.52	6.05
2	0.068	5.13	3.41	5.00	6.65	6.64	3.95	3.01	2.99	3.88	5.54	7.19	6.47	6.75
3	0.114	5.40	4.47	5.84	7.09	6.68	3.98	3.05	3.71	4.58	6.17	8.11	7.01	7.17
4	0.159	6.98	4.48	6.06	7.28	6.76	4.55	3.70	3.92	5.88	6.27	8.66	7.74	7.26
5	0.205	7.35	4.64	6.21	7.99	6.95	4.73	3.83	3.96	6.09	6.43	9.05	8.13	7.41
6	0.250	7.51	5.02	6.25	8.00	7.03	4.89	4.05	4.22	6.18	7.47	10.60	8.86	7.51
7	0.295	8.56	5.32	6.52	8.23	7.03	5.33	4.22	4.47	6.65	7.47	10.80	9.39	7.57
8	0.341	8.78	5.52	7.09	9.34	7.32	5.36	4.27	4.64	6.90	9.45	11.00	9.48	8.19
9	0.386	9.07	5.58	7.46	9.36	7.36	5.69	4.34	4.74	6.96	10.50	11.20	9.57	8.57
10	0.432	9.35	5.88	7.62	9.49	7.37	5.95	4.48	4.97	7.77	11.20	11.20	9.77	8.64
11	0.477	9.78	6.12	8.43	9.66	7.42	6.16	4.62	5.19	8.11	12.20	12.10	9.66	8.86
12	0.523	10.10	6.34	8.98	10.80	8.43	6.82	4.68	5.19	8.81	12.50	13.60	10.10	8.88
13	0.568	10.10	6.65	9.10	11.00	8.46	6.87	4.77	5.59	9.01	12.80	15.00	11.20	9.60
14	0.614	10.30	6.72	9.17	11.60	9.57	6.90	4.84	6.59	9.20	13.90	15.00	11.40	9.68
15	0.659	10.60	7.69	9.32	13.60	9.99	7.13	4.99	6.89	9.45	13.00	15.60	11.40	9.90
16	0.705	10.80	7.73	9.75	13.70	10.00	7.61	5.11	6.89	9.49	13.30	16.30	12.50	10.08
17	0.750	11.40	8.13	10.80	13.90	10.90	7.81	5.37	7.86	9.75	14.50	18.10	12.60	10.27
18	0.795	13.10	8.50	11.00	14.40	11.00	8.55	5.38	7.91	10.40	15.40	19.40	12.70	10.46
19	0.841	13.10	8.95	11.60	14.60	11.20	8.88	5.75	8.49	10.70	15.70	19.60	16.70	10.77
20	0.886	13.30	9.27	11.80	17.60	12.00	10.60	6.53	8.60	10.90	17.70	22.60	17.40	11.35
21	0.932	15.30	10.50	12.20	18.30	14.30	10.80	7.05	8.86	11.20	18.30	25.40	18.20	11.91
22	0.977	18.5	15.1	12.5	19.2	18.3	14.4	10.1	10.4	14.2	32.2	34.4	21.9	13.0
AVERAGE	9.97	6.78	8.50	11.28	9.12	6.85	4.85	5.79	8.17	12.08	14.53	11.27	9.09	

R = RANK P = PROBABILITY

STATION NUMBER 11000015

INDONESIA WEST-SUMATRA SITE OF PATIMAH

(142.0 Km2)

MONTHLY AND ANNUAL DISCHARGES IN ORDER (M3/S)

R	P	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1	0.023	7.96	4.76	7.84	9.48	9.96	5.46	3.91	3.88	6.17	8.35	7.47	8.85	10.05
2	0.068	8.11	5.26	8.38	10.60	10.10	5.48	4.31	4.72	6.45	8.44	12.10	11.10	11.04
3	0.114	8.87	5.95	9.26	11.70	10.50	5.75	4.35	6.09	7.62	10.50	14.00	11.40	11.66
4	0.159	11.00	6.00	9.28	12.10	10.70	6.70	5.68	6.39	9.53	10.60	14.20	11.60	12.17
5	0.205	11.00	6.96	9.80	12.90	10.80	7.22	5.72	6.52	9.61	10.90	15.20	12.00	12.33
6	0.250	11.30	7.00	10.30	14.10	10.80	7.36	5.98	6.88	10.40	12.20	18.40	12.30	12.39
7	0.295	12.90	7.01	10.70	14.20	11.10	7.40	6.12	6.88	11.20	12.30	18.90	14.30	12.65
8	0.341	13.40	7.81	12.00	15.00	11.10	7.49	6.26	7.10	11.80	16.30	19.40	14.80	13.48
9	0.386	13.60	8.37	12.00	15.40	11.50	8.45	6.37	7.68	11.80	17.20	19.50	14.90	14.30
10	0.432	14.40	8.46	12.40	16.40	11.80	9.07	6.54	8.01	12.90	19.80	19.50	16.00	14.40
11	0.477	15.20	8.63	13.90	16.50	12.10	9.67	6.73	8.29	13.60	21.50	21.30	16.40	14.55
12	0.523	15.40	9.48	14.20	18.30	14.00	9.74	7.29	8.34	14.90	21.50	22.10	16.90	14.56
13	0.568	15.40	10.10	14.90	19.10	14.10	10.70	7.40	9.29	15.80	24.30	24.20	17.00	15.72
14	0.614	17.10	10.90	15.30	19.50	16.70	11.00	7.65	9.32	16.20	24.60	24.70	20.00	16.07
15	0.659	17.50	11.70	15.50	23.00	16.80	11.30	7.70	9.99	16.50	24.80	26.30	20.30	16.39
16	0.705	18.00	11.90	15.60	23.70	17.80	11.60	7.74	10.90	16.70	25.10	29.00	20.40	16.40
17	0.750	18.40	12.70	18.00	23.90	17.90	11.90	8.14	13.20	16.70	26.50	29.10	20.50	17.20
18	0.795	20.30	13.60	18.50	24.30	17.90	14.00	8.51	13.30	18.20	28.60	30.20	22.50	17.29
19	0.841	21.60	14.60	19.80	24.90	18.10	14.30	8.89	14.20	18.70	29.40	32.10	26.60	17.65
20	0.886	22.0	14.8	20.0	30.4	20.9	17.9	10.3	14.7	19.3	31.8	36.6	28.9	18.6
21	0.932	25.7	17.7	20.7	30.8	23.7	18.2	10.8	14.8	19.5	34.2	43.6	30.9	19.5
22	0.977	29.5	24.4	20.9	32.8	30.4	24.5	16.4	17.6	25.5	57.1	55.8	36.1	21.5
AVERAGE		15.85	10.37	14.06	19.05	14.94	10.69	7.40	9.46	14.02	21.64	24.26	18.35	15.00

R = RANK P = PROBABILITY

STATION NUMBER 11000018

INDONESIA WEST-SUMATRA SITE OF BAYANG SANI

(9.74 Km2)

MONTHLY AND ANNUAL DISCHARGES IN ORDER (M3/S)

R	P	JAN	FEB	MAR	APR	MAI	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
1	0.022	0.206	0.152	0.130	0.301	0.232	0.139	0.068	0.073	0.072	0.070	0.348	0.577	0.471
2	0.065	0.468	0.190	0.183	0.404	0.265	0.168	0.088	0.113	0.194	0.152	0.644	0.637	0.546
3	0.109	0.476	0.195	0.251	0.423	0.310	0.204	0.110	0.137	0.197	0.282	0.739	0.652	0.586
4	0.152	0.492	0.223	0.375	0.451	0.359	0.211	0.116	0.170	0.211	0.296	0.821	0.654	0.589
5	0.196	0.557	0.226	0.368	0.575	0.389	0.222	0.134	0.227	0.314	0.657	0.832	0.716	0.561
6	0.239	0.618	0.280	0.652	0.585	0.393	0.239	0.159	0.241	0.333	0.758	0.955	0.780	0.710
7	0.283	0.679	0.301	0.660	0.618	0.419	0.249	0.162	0.242	0.512	0.832	0.968	1.040	0.753
8	0.326	0.849	0.391	0.703	0.742	0.425	0.267	0.185	0.256	0.617	0.998	1.050	1.080	0.770
9	0.370	0.851	0.526	0.770	0.746	0.461	0.276	0.238	0.303	0.646	1.140	1.060	1.110	0.809
10	0.413	0.858	0.534	0.773	0.774	0.479	0.305	0.243	0.321	0.765	1.230	1.140	1.170	0.814
11	0.457	0.888	0.536	0.807	0.836	0.488	0.336	0.260	0.398	0.810	1.240	1.160	1.180	0.885
12	0.500	0.985	0.546	0.889	0.858	0.536	0.345	0.293	0.424	0.864	1.330	1.190	1.210	0.901
13	0.543	1.120	0.612	0.931	0.905	0.536	0.372	0.367	0.541	0.914	1.350	1.370	1.340	0.904
14	0.587	1.180	0.642	0.957	1.030	0.593	0.403	0.395	0.596	1.010	1.360	1.480	1.370	0.907
15	0.630	1.240	0.680	1.000	1.110	0.665	0.450	0.399	0.674	1.060	1.430	1.580	1.450	0.964
16	0.674	1.270	0.690	1.010	1.120	0.706	0.460	0.450	0.704	1.260	1.510	1.620	1.560	0.970
17	0.717	1.270	0.716	1.100	1.130	0.904	0.503	0.475	0.806	1.270	1.610	1.720	1.640	0.984
18	0.761	1.320	0.750	1.100	1.280	0.937	0.559	0.720	0.834	1.320	1.630	1.830	1.700	1.025
19	0.804	1.330	0.788	1.300	1.290	0.943	0.603	0.738	0.911	1.350	1.740	1.920	1.850	1.041
20	0.848	1.360	0.839	1.300	1.510	1.080	0.755	0.786	0.932	1.390	1.950	2.010	2.070	1.063
21	0.891	1.410	0.845	1.380	1.520	1.130	0.850	0.850	1.070	1.390	2.050	2.120	2.160	1.126
22	0.935	2.190	1.270	1.620	2.170	1.210	0.917	0.926	1.270	1.940	2.290	2.550	2.630	1.156
23	0.978	2.320	1.440	1.620	2.530	1.790	0.944	1.650	1.500	3.050	2.410	2.590	3.390	1.156
AVERAGE		1.041	0.581	0.873	0.996	0.664	0.425	0.427	0.554	0.934	1.232	1.378	1.390	0.861

R = RANK P = PROBABILITY

APPENDIX 4

LOW FLOW DISCHARGES IN ORDER

11000002

INDONESIA WEST-SUMATRA SITE OF GUNTUNG

(147.0 Km²)

DISCHARGES DDn NOT EXCEEDED n DAYS BY YEAR (M3/S)

YEAR	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
24	5.480	5.660	5.860	6.170	6.370	6.470	6.620	7.150	9.150	17.200	35.900
27	3.650	3.760	3.850	4.0970	4.180	4.400	4.630	5.750	7.020	12.400	35.900
28	4.050	4.260	4.440	4.590	4.780	5.010	5.170	5.950	6.830	9.730	25.000
29	3.020	3.060	3.100	3.140	3.190	3.270	3.370	3.870	5.110	7.070	18.200
33	4.580	4.740	4.950	5.140	5.310	5.420	5.710	6.110	7.350	12.500	32.200
34	4.190	4.370	4.550	4.750	4.920	5.070	5.250	6.440	6.870	9.520	26.000
35	3.980	4.110	4.170	4.270	4.340	4.410	4.490	4.780	6.040	8.240	30.800
36	3.420	3.490	3.580	3.710	3.890	4.050	4.140	4.550	6.020	7.710	17.100
37	3.100	3.210	3.260	3.340	3.470	3.650	3.790	4.450	5.400	10.300	28.500
38	4.910	5.050	5.190	5.340	5.460	5.490	5.580	5.980	7.310	16.400	37.500
39	4.330	4.590	4.690	4.770	4.900	5.020	5.150	5.850	7.450	13.100	33.100
40	5.300	5.440	5.550	5.630	5.700	5.800	5.930	6.560	8.640	17.400	39.700
41	4.990	5.170	5.260	5.400	5.490	5.610	5.680	6.040	7.030	13.000	28.400
55	4.540	4.720	4.860	5.040	5.140	5.240	5.390	6.100	7.690	13.000	34.400
56	4.540	4.670	4.760	4.820	4.910	5.000	5.080	5.580	6.940	12.200	31.500

11000002

INDONESIA WEST-SUMATRA SITE OF GUNTUNG

(147.0 Km²)

DISCHARGES DDn NOT EXCEEDED n DAYS BY YEAR IN ORDER (M3/S)

R	P	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
1	0.033	3.020	3.060	3.100	3.140	3.190	3.270	3.370	3.870	5.110	7.070	17.100
2	0.100	3.100	3.210	3.260	3.340	3.470	3.650	3.790	4.450	5.400	7.710	18.200
3	0.167	3.420	3.490	3.580	3.710	3.890	4.050	4.140	4.550	6.020	8.240	25.000
4	0.233	3.650	3.760	3.850	3.970	4.160	4.400	4.490	4.780	6.040	9.520	26.000
5	0.300	3.980	4.110	4.170	4.270	4.340	4.410	4.630	5.580	6.830	9.730	28.400
6	0.367	4.050	4.260	4.440	4.590	4.780	5.000	5.080	5.640	6.870	10.300	28.500
7	0.433	4.190	4.370	4.550	4.750	4.900	5.010	5.150	5.750	6.940	12.400	30.800
8	0.500	4.330	4.590	4.690	4.770	4.910	5.020	5.170	5.950	7.320	12.400	31.500
9	0.567	4.540	4.670	4.760	4.820	4.920	5.070	5.250	6.110	7.350	12.500	32.200
10	0.633	4.540	4.720	4.860	5.040	5.140	5.240	5.390	6.080	7.310	13.000	33.100
11	0.700	4.580	4.740	4.950	5.140	5.310	5.420	5.580	6.040	7.350	13.000	34.400
12	0.767	4.910	5.050	5.190	5.340	5.460	5.490	5.680	6.100	7.450	13.100	35.900
13	0.833	4.990	5.170	5.260	5.400	5.490	5.610	5.710	6.110	7.690	16.400	35.900
14	0.900	5.300	5.440	5.550	5.630	5.700	5.800	5.930	6.560	8.640	17.200	37.500
15	0.967	5.480	5.660	5.860	6.170	6.370	6.470	6.620	7.150	9.150	17.400	39.700
AVERAGE		4.272	4.420	4.538	4.672	4.802	4.927	5.065	5.624	6.990	11.985	30.280

R = RANK P = PROBABILITY

11000004

INDONESIA WEST-SUMATRA SITE OF BALANGIR

(40.6 Km²)

DISCHARGES DD_n NOT EXCEEDED n DAYS BY YEAR (M³/S)

YEAR	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
16	1.460	1.710	1.860	1.940	2.070	2.180	2.320	2.810	3.440	6.260	15.500
17	0.660	0.740	0.830	0.900	1.000	1.070	1.140	1.470	2.210	6.350	18.900
18	0.870	1.130	1.230	1.380	1.500	1.590	1.660	1.850	2.510	5.840	12.300
20	0.510	0.600	0.670	0.710	0.750	0.790	0.810	0.960	1.510	2.980	9.480
21	0.320	0.380	0.410	0.460	0.560	0.620	0.710	1.200	2.250	4.610	10.000
22	1.100	1.200	1.300	1.380	1.460	1.550	1.670	1.940	2.810	5.590	13.800
24	0.400	0.490	0.630	0.720	0.810	0.870	0.950	1.230	2.080	4.200	10.800
26	0.910	1.070	1.260	1.420	1.580	1.730	1.830	2.190	2.910	6.010	13.200
27	0.170	0.210	0.240	0.260	0.270	0.300	0.390	0.620	1.810	3.850	10.300
29	0.890	1.110	1.200	1.280	1.400	1.510	1.570	1.760	2.550	5.960	13.400
30	0.300	0.410	0.450	0.500	0.600	0.860	1.160	1.610	2.590	6.060	13.600
31	0.970	1.170	1.340	1.450	1.550	1.610	1.680	2.020	2.910	7.140	15.100
32	0.510	0.620	0.770	1.010	1.060	1.180	1.220	1.570	2.790	5.110	12.200
33	0.760	1.020	1.130	1.240	1.350	1.420	1.490	1.680	2.350	5.930	14.900
34	0.920	0.970	1.040	1.090	1.160	1.230	1.260	1.500	2.250	4.500	10.500
35	0.930	1.100	1.200	1.270	1.310	1.390	1.460	1.630	2.470	6.010	14.400
36	0.520	0.670	0.850	1.000	1.050	1.240	1.450	1.890	3.010	7.320	14.100
37	0.850	1.040	1.130	1.240	1.340	1.450	1.520	1.970	3.220	7.990	17.800
38	0.800	1.030	1.200	1.350	1.460	1.520	1.580	1.780	2.550	5.340	11.100
39	0.280	0.410	0.510	0.590	0.700	0.810	0.870	1.060	1.850	4.020	10.600
40	0.630	0.710	0.810	0.870	1.010	1.150	1.220	1.590	2.650	6.130	13.700
41	0.930	1.240	1.350	1.440	1.520	1.580	1.640	1.900	2.690	5.930	13.400
52	0.610	0.870	0.970	1.010	1.050	1.080	1.120	1.300	1.830	3.530	9.200
53	0.690	0.890	1.010	1.080	1.350	1.550	1.640	1.890	2.540	6.310	15.600
54	1.020	1.200	1.330	1.400	1.490	1.540	1.560	1.790	2.480	5.410	13.600
55	0.830	1.000	1.110	1.190	1.260	1.370	1.480	1.800	2.650	6.640	18.800
56	0.460	0.500	0.580	0.660	0.740	0.810	0.900	1.410	2.310	4.950	11.100
57	0.380	0.490	0.560	0.640	0.720	0.810	0.880	1.450	2.710	6.890	16.300

11000004

INDONESIA WEST-SUMATRA SITE OF BALANGIR

(40.6 Km²)

DISCHARGES DD_n NOT EXCEEDED n DAYS BY YEAR IN ORDER (M³/S)

R	P	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
1	0.018	0.170	0.210	0.240	0.260	0.270	0.300	0.390	0.620	1.510	2.980	9.200
2	0.054	0.280	0.380	0.410	0.460	0.560	0.620	0.710	0.960	1.810	3.530	9.480
3	0.089	0.300	0.410	0.450	0.500	0.600	0.790	0.810	1.060	1.830	3.850	10.000
4	0.125	0.320	0.410	0.510	0.590	0.700	0.810	0.870	1.200	1.850	4.020	10.300
5	0.161	0.380	0.490	0.560	0.640	0.720	0.810	0.880	1.230	2.080	4.200	10.500
6	0.196	0.400	0.490	0.580	0.660	0.740	0.810	0.900	1.300	2.210	4.500	10.600
7	0.232	0.460	0.500	0.630	0.710	0.750	0.860	0.950	1.410	2.250	4.610	10.800
8	0.268	0.510	0.600	0.670	0.720	0.810	0.870	1.120	1.450	2.250	4.950	11.100
9	0.304	0.510	0.620	0.770	0.870	1.000	1.070	1.140	1.470	2.290	5.110	11.100
10	0.339	0.520	0.670	0.810	0.900	1.010	1.080	1.160	1.500	2.310	5.340	12.200
11	0.375	0.610	0.710	0.830	1.000	1.050	1.150	1.220	1.570	2.350	5.410	12.300
12	0.411	0.630	0.740	0.850	1.010	1.050	1.180	1.220	1.590	2.470	5.590	13.200
13	0.446	0.660	0.870	0.970	1.010	1.060	1.230	1.260	1.610	2.480	5.840	13.400
14	0.482	0.690	0.890	1.010	1.080	1.160	1.240	1.450	1.630	2.510	5.930	13.400
15	0.518	0.760	0.970	1.040	1.090	1.260	1.370	1.460	1.680	2.540	5.930	13.600
16	0.554	0.800	1.000	1.110	1.190	1.310	1.390	1.480	1.780	2.550	5.960	13.600
17	0.589	0.830	1.020	1.130	1.240	1.340	1.420	1.490	1.780	2.550	6.010	13.700
18	0.625	0.850	1.030	1.130	1.240	1.350	1.450	1.520	1.790	2.590	6.010	13.800
19	0.661	0.870	1.040	1.200	1.270	1.350	1.510	1.560	1.800	2.650	6.060	14.100
20	0.696	0.890	1.070	1.200	1.280	1.400	1.520	1.570	1.850	2.650	6.130	14.400
21	0.732	0.910	1.100	1.200	1.350	1.460	1.540	1.580	1.890	2.690	6.260	14.900
22	0.768	0.920	1.110	1.230	1.380	1.460	1.550	1.640	1.890	2.710	6.310	15.100
23	0.804	0.930	1.130	1.260	1.380	1.490	1.550	1.640	1.900	2.810	6.350	15.500
24	0.839	0.930	1.170	1.300	1.400	1.500	1.580	1.660	1.940	2.910	6.640	15.600
25	0.875	0.970	1.200	1.330	1.420	1.520	1.590	1.670	1.970	2.910	6.890	16.300
26	0.911	1.020	1.200	1.340	1.440	1.550	1.610	1.680	2.020	3.010	7.140	17.800
27	0.946	1.100	1.240	1.350	1.450	1.580	1.730	1.830	2.190	3.220	7.320	18.800
28	0.982	1.460	1.710	1.860	1.940	2.070	2.180	2.320	2.810	3.440	7.990	18.900
AVERAGE	0.703	0.857	0.963	1.053	1.147	1.243	1.328	1.639	2.480	5.602	13.346	

R = RANK

P = PROBABILITY

11000006

INDONESIA WEST-SUMATRA SITE OF SUMANI

(80.9 Km²)

DISCHARGES DD_n NOT EXCEEDED n DAYS BY YEAR (M³/S)

YEAR	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
16	1.870	1.970	2.270	2.340	2.410	2.470	2.550	2.790	3.330	5.000	12.600
17	1.500	1.650	1.760	1.890	2.050	2.160	2.300	2.640	3.970	6.670	14.200
18	1.400	1.530	1.650	1.760	1.960	2.020	2.120	2.460	3.300	6.210	14.800
20	1.360	1.510	1.620	1.790	1.860	1.920	2.000	2.560	3.700	6.490	18.100
21	0.790	0.880	0.910	0.990	1.090	1.110	1.140	1.230	1.540	4.570	11.000
22	1.020	1.080	1.130	1.170	1.250	1.310	1.380	1.600	2.520	5.410	14.600
24	2.080	2.300	2.420	2.520	2.740	2.830	2.880	3.100	3.730	5.900	15.600
26	2.060	2.190	2.270	2.360	2.430	2.520	2.610	3.010	4.310	5.110	24.900
27	0.900	0.990	1.030	1.090	1.150	1.170	1.220	1.540	2.780	5.030	13.300
28	1.760	1.850	1.970	2.080	2.210	2.260	2.310	2.740	4.370	5.840	25.400
33	1.380	1.450	1.520	1.660	1.850	2.040	2.190	2.710	3.620	5.750	13.700
34	1.290	1.450	1.630	1.850	2.000	2.110	2.170	2.440	3.020	4.230	10.100
35	1.870	2.050	2.150	2.210	2.260	2.330	2.370	2.540	3.050	5.570	14.900
36	1.130	1.190	1.240	1.300	1.400	1.490	1.570	2.360	3.260	5.010	12.200
37	1.240	1.350	1.440	1.630	1.920	2.080	2.160	2.660	3.890	7.400	16.900
38	1.260	1.360	1.420	1.470	1.530	1.610	1.720	2.520	3.800	6.250	16.900
39	0.800	0.910	0.950	1.110	1.290	1.350	1.420	1.760	2.540	4.420	14.000
40	1.400	1.490	1.600	1.730	1.820	1.960	2.080	2.570	3.970	6.640	16.600
41	1.240	1.340	1.450	1.590	1.720	1.840	1.960	2.620	3.920	6.870	18.100

11000006

INDONESIA WEST-SUMATRA SITE OF SUMANI

(80.9 Km²)

DISCHARGES DD_n NOT EXCEEDED n DAYS BY YEAR IN ORDER (M³/S)

R	P	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
1	0.026	0.790	0.880	0.910	0.990	1.090	1.110	1.140	1.230	1.540	4.230	10.100
2	0.079	0.800	0.910	0.950	1.090	1.150	1.170	1.220	1.540	2.520	4.420	11.000
3	0.132	0.900	0.990	1.030	1.110	1.250	1.310	1.380	1.600	2.540	4.570	12.200
4	0.184	1.020	1.080	1.130	1.170	1.290	1.350	1.420	1.760	2.780	5.000	12.600
5	0.237	1.130	1.190	1.240	1.300	1.400	1.490	1.570	2.360	3.020	5.010	13.300
6	0.289	1.240	1.340	1.420	1.470	1.530	1.610	1.720	2.440	3.050	5.030	13.700
7	0.342	1.240	1.350	1.440	1.590	1.720	1.840	1.960	2.460	3.260	5.410	14.000
8	0.395	1.260	1.360	1.450	1.630	1.820	1.920	2.000	2.520	3.300	5.70	14.200
9	0.447	1.290	1.450	1.520	1.660	1.850	1.960	2.080	2.540	3.330	5.750	14.600
10	0.500	1.360	1.450	1.600	1.730	1.860	2.020	2.120	2.560	3.620	5.900	14.800
11	0.553	1.380	1.490	1.620	1.760	1.920	2.040	2.160	2.570	3.700	6.210	14.900
12	0.605	1.400	1.510	1.630	1.790	1.960	2.080	2.170	2.620	3.730	6.250	15.600
13	0.658	1.400	1.530	1.650	1.850	2.000	2.080	2.190	2.640	3.800	6.490	16.600
14	0.711	1.500	1.650	1.760	1.890	2.050	2.160	2.300	2.660	3.890	6.640	16.900
15	0.763	1.760	1.850	1.970	2.080	2.210	2.260	2.310	2.710	3.920	6.670	16.900
16	0.816	1.870	1.970	2.150	2.210	2.260	2.330	2.370	2.740	3.970	6.870	18.100
17	0.868	1.870	2.050	2.270	2.340	2.410	2.470	2.550	2.790	3.970	7.400	18.100
18	0.921	2.060	2.190	2.270	2.360	2.430	2.520	2.610	3.010	4.310	9.110	24.900
19	0.974	2.080	2.300	2.420	2.520	2.740	2.830	2.880	3.100	4.370	9.840	25.400
AVERAGE		1.387	1.502	1.602	1.713	1.839	1.925	2.008	2.413	3.401	6.125	15.679

R = RANK

P = PROBABILITY

11000012

INDONESIA WEST-SUMATRA SITE OF SIKARBAU

(115.0 Km2)

DISCHARGES DDn NOT EXCEEDED n DAYS BY YEAR (M3/S)

YEAR	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
16	2.900	3.110	3.410	3.530	3.580	3.690	3.790	4.140	4.960	5.040	22.300
17	2.910	3.070	3.220	3.380	3.540	3.700	3.770	4.160	5.200	7.810	19.600
18	2.950	3.120	3.330	3.750	3.940	4.080	4.170	4.600	6.060	11.800	35.600
20	2.860	3.070	3.260	3.330	3.520	3.700	3.900	4.600	6.090	11.000	26.200
21	3.160	3.520	3.770	3.900	3.970	4.090	4.200	4.840	6.060	10.000	22.900
22	2.180	2.280	2.400	2.550	2.670	2.750	2.810	4.130	5.490	9.390	22.300
24	3.590	3.810	3.970	4.100	4.260	4.330	4.400	4.710	5.650	8.710	20.800
26	2.990	3.240	3.350	3.420	3.490	3.550	3.620	3.950	4.600	6.260	17.900
27	1.850	1.980	2.070	2.150	2.220	2.330	2.390	2.800	4.240	10.400	28.500
28	2.730	2.850	2.990	3.030	3.170	3.260	3.370	3.940	5.150	6.550	22.500
29	3.040	3.320	3.470	3.790	4.080	4.190	4.280	4.770	6.150	13.400	32.600
30	3.950	4.240	4.450	4.620	4.730	4.840	4.920	5.320	6.940	14.800	43.900
31	4.540	4.830	5.160	5.330	5.440	5.580	5.730	6.210	8.270	17.600	42.900
32	3.210	3.460	3.830	4.190	4.370	4.490	4.620	5.220	7.220	15.500	40.800
33	3.860	4.150	4.320	4.450	4.590	4.690	4.840	5.260	6.750	12.300	33.000
34	3.630	3.800	3.880	3.980	4.050	4.140	4.220	4.620	5.750	11.200	25.600
35	3.450	3.810	4.190	4.490	4.600	4.760	4.970	5.320	6.930	14.300	32.700
36	3.280	3.420	3.560	3.660	3.780	3.940	4.110	4.550	6.430	10.800	26.900
37	2.200	2.470	2.650	2.770	3.030	3.250	3.540	4.700	6.460	11.400	26.800
38	3.750	3.990	4.220	4.780	4.940	5.080	5.210	5.670	7.160	11.500	28.500
40	3.290	3.490	3.710	4.060	4.450	4.680	4.800	5.250	6.990	13.700	27.500
41	3.340	3.650	3.850	4.090	4.270	4.440	4.650	5.390	7.400	14.900	33.000

11000012

INDONESIA WEST-SUMATRA SITE OF SIKARBAU

(115.0 Km2)

DISCHARGES DDn NOT EXCEEDED n DAYS BY YEAR IN ORDER (M3/S)

R	P	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
1	0.023	1.850	1.980	2.070	2.150	2.220	2.330	2.390	2.800	4.240	6.260	17.900
2	0.068	2.180	2.280	2.400	2.550	2.670	2.750	2.810	3.940	4.600	7.810	19.600
3	0.114	2.200	2.470	2.650	2.770	3.030	3.250	3.370	3.950	4.960	8.040	20.800
4	0.159	2.730	2.850	2.930	3.030	3.170	3.260	3.540	4.130	5.150	8.550	22.300
5	0.205	2.860	3.070	3.220	3.330	3.490	3.550	3.620	4.140	5.200	8.710	22.300
6	0.250	2.900	3.070	3.260	3.380	3.520	3.690	3.770	4.160	5.490	9.390	22.500
7	0.295	2.910	3.110	3.330	3.420	3.540	3.700	3.790	4.550	5.650	10.000	22.900
8	0.341	2.950	3.120	3.350	3.530	3.580	3.700	3.900	4.600	5.750	10.400	25.600
9	0.386	2.990	3.240	3.410	3.660	3.780	3.940	4.110	4.600	6.060	10.800	26.200
10	0.432	3.040	3.320	3.470	3.750	3.940	4.080	4.170	4.620	6.060	11.000	26.800
11	0.477	3.160	3.420	3.560	3.790	3.970	4.090	4.200	4.700	6.090	11.200	28.500
12	0.523	3.210	3.460	3.710	3.900	4.050	4.140	4.220	4.710	6.150	11.400	27.500
13	0.568	3.280	3.490	3.770	3.980	4.080	4.190	4.280	4.770	6.430	11.500	28.500
14	0.614	3.290	3.520	3.830	4.060	4.250	4.330	4.400	4.840	6.460	11.800	28.500
15	0.659	3.340	3.650	3.850	4.090	4.270	4.440	4.620	4.840	6.750	12.300	32.600
16	0.705	3.450	3.800	3.880	4.100	4.370	4.490	4.650	5.250	6.930	13.400	32.600
17	0.750	3.590	3.810	3.970	4.190	4.450	4.680	4.800	5.260	6.940	13.700	33.000
18	0.795	3.630	3.810	4.190	4.450	4.590	4.690	4.840	5.320	6.990	14.300	33.000
19	0.841	3.750	3.990	4.220	4.490	4.600	4.760	4.920	5.320	7.160	14.800	35.600
20	0.886	3.860	4.150	4.320	4.620	4.730	4.840	4.970	5.390	7.220	14.900	40.800
21	0.932	3.950	4.240	4.450	4.780	4.940	5.080	5.210	5.670	7.400	15.500	42.900
22	0.977	4.540	4.830	5.160	5.330	5.440	5.580	5.730	6.210	8.270	17.600	43.900
AVERAGE		3.166	3.395	3.591	3.789	3.941	4.071	4.196	4.734	6.180	11.516	28.764

R = RANK

P = PROBABILITY

11000015

INDONESIA WEST-SUMATRA SITE OF PATIMAH

(142.0 Km²)

DISCHARGES DD_n NOT EXCEEDED n DAYS BY YEAR (M³/S)

YEAR	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
16	4.190	4.490	4.660	4.990	5.200	5.300	5.420	5.930	7.410	14.500	39.100
17	4.210	4.460	4.710	5.050	5.350	5.530	5.640	6.200	7.910	13.800	32.600
18	4.500	4.740	5.030	5.560	5.890	6.140	6.310	7.090	9.800	20.100	64.600
20	4.320	4.600	4.830	4.980	5.170	5.480	5.620	6.590	8.800	19.000	45.600
21	4.710	5.310	5.580	5.740	5.990	6.220	6.390	6.990	9.240	18.600	40.400
22	3.290	3.480	3.670	3.800	3.960	4.060	4.180	5.920	8.260	16.900	43.100
24	5.340	5.620	5.840	5.970	6.110	6.240	6.350	6.750	8.580	15.900	36.100
26	4.520	4.860	5.090	5.180	5.250	5.340	5.450	5.930	7.240	11.100	31.500
27	2.760	2.950	3.130	3.260	3.380	3.530	3.640	4.250	6.660	17.500	52.000
28	4.190	4.350	4.470	4.640	4.740	4.900	5.120	5.970	7.440	14.300	39.500
29	4.450	4.810	5.060	5.560	5.810	5.910	6.100	6.950	9.370	23.600	53.600
30	5.480	5.810	6.190	6.330	6.530	6.730	6.870	7.500	10.800	24.700	68.500
31	6.040	6.400	6.870	7.050	7.320	7.590	7.850	8.650	13.200	27.900	72.400
32	4.250	4.550	4.930	5.640	5.870	6.060	6.190	7.160	10.700	25.400	69.600
33	5.330	5.640	5.930	6.330	6.480	6.600	6.700	7.450	10.100	21.100	56.400
34	5.080	5.350	5.550	5.720	5.870	6.000	6.140	6.650	8.620	20.400	54.400
35	4.870	5.150	5.390	5.6250	5.720	5.840	5.900	7.590	11.400	25.500	64.800
36	4.940	5.160	5.390	5.570	5.720	5.840	5.980	6.560	9.640	18.100	46.900
37	3.100	3.480	3.740	3.930	4.270	4.680	5.150	6.420	10.200	20.400	44.600
38	5.140	5.480	5.800	6.360	6.670	6.830	7.010	8.010	11.300	20.800	48.400
40	4.520	4.880	5.140	5.520	6.320	6.500	6.620	7.470	11.300	22.300	46.900
41	4.700	5.280	5.580	5.810	5.980	6.170	6.400	7.330	11.500	25.100	53.300

11000015

INDONESIA WEST-SUMATRA SITE OF PATIMAH

(142.0 Km²)

DISCHARGES DD_n NOT EXCEEDED n DAYS BY YEAR IN DRDR (M³/S)

R	P	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
1	0.023	2.760	2.950	3.130	3.260	3.380	3.530	3.640	4.250	6.660	11.100	31.500
2	0.068	3.100	3.480	3.670	3.800	3.960	4.060	4.180	5.920	7.240	13.800	32.600
3	0.114	3.290	3.480	3.740	3.930	4.270	4.680	5.120	5.930	7.410	14.300	36.100
4	0.159	4.190	4.350	4.470	4.640	4.740	4.900	5.150	5.930	7.440	14.500	39.100
5	0.205	4.190	4.460	4.660	4.980	5.170	5.300	5.420	5.970	7.910	15.900	39.500
6	0.250	4.210	4.490	4.710	4.990	5.200	5.340	5.450	6.200	8.260	16.900	40.400
7	0.295	4.250	4.550	4.830	5.050	5.250	5.480	5.620	6.420	8.580	17.500	43.100
8	0.341	4.320	4.600	4.830	5.180	5.350	5.530	5.640	6.590	8.620	18.100	43.400
9	0.386	4.450	4.740	5.060	5.520	5.720	5.840	5.980	6.590	8.800	18.600	44.600
10	0.432	4.500	4.810	5.060	5.560	5.810	5.910	6.100	6.650	9.240	19.000	45.600
11	0.477	4.520	4.860	5.090	5.560	5.870	6.000	6.140	6.750	9.370	20.100	46.900
12	0.523	4.520	4.880	5.140	5.570	5.870	6.060	6.190	6.950	9.640	20.400	46.900
13	0.568	4.700	5.160	5.390	5.640	5.890	6.140	6.310	6.990	9.800	20.400	48.400
14	0.614	4.710	5.280	5.550	5.720	5.980	6.170	6.350	7.090	10.100	20.800	52.000
15	0.659	4.870	5.310	5.580	5.740	5.990	6.220	6.390	7.160	10.200	21.100	53.300
16	0.705	4.940	5.350	5.580	5.810	6.110	6.240	6.400	7.330	10.700	22.300	53.600
17	0.750	5.080	5.360	5.800	5.970	6.320	6.500	6.620	7.450	10.800	23.600	54.800
18	0.795	5.140	5.480	5.840	6.250	6.450	6.600	6.700	7.470	11.300	24.700	56.400
19	0.841	5.330	5.620	5.890	6.330	6.480	6.620	6.870	7.500	11.300	25.100	64.600
20	0.886	5.340	5.640	5.930	6.330	6.530	6.730	6.900	7.590	11.400	25.400	68.500
21	0.932	5.480	5.810	6.190	6.360	6.670	6.830	7.010	8.010	11.500	25.500	69.600
22	0.977	6.040	6.400	6.870	7.050	7.320	7.590	7.850	8.650	13.200	27.900	72.400
AVERAGE		4.542	4.866	5.146	5.420	5.651	5.831	6.001	6.789	9.521	19.864	49.241

R = RANK

P = PROBABILITY

11000018

INDONESIA WEST-SUMATRA SITE OF BAYANG SANI (9.74 Km2)
DISCHARGES DDn NOT EXCEEDED n DAYS BY YEAR (M3/S)

YEAR	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
24	0.250	0.260	0.290	0.320	0.350	0.360	0.400	0.570	0.950	1.490	2.920
26	0.100	0.120	0.140	0.160	0.170	0.190	0.200	0.260	0.430	1.410	3.550
27	0.086	0.100	0.130	0.150	0.160	0.180	0.200	0.270	0.470	1.270	3.030
28	0.150	0.170	0.180	0.180	0.190	0.200	0.210	0.250	0.370	1.000	2.170
29	0.074	0.097	0.110	0.140	0.170	0.180	0.190	0.240	0.380	1.460	3.340
30	0.180	0.210	0.230	0.240	0.250	0.260	0.270	0.290	0.500	1.350	3.200
31	0.190	0.210	0.230	0.250	0.250	0.260	0.280	0.320	0.530	1.510	3.560
32	0.054	0.068	0.086	0.100	0.110	0.110	0.120	0.140	0.220	0.670	2.650
33	0.095	0.100	0.110	0.130	0.150	0.160	0.170	0.220	0.310	0.810	2.390
34	0.094	0.110	0.130	0.140	0.150	0.160	0.160	0.200	0.340	1.370	3.040
35	0.180	0.220	0.250	0.260	0.270	0.290	0.300	0.340	0.640	1.780	4.410
36	0.150	0.180	0.210	0.230	0.240	0.250	0.260	0.290	0.480	1.530	3.140
37	0.091	0.100	0.110	0.120	0.130	0.140	0.150	0.210	0.300	0.780	2.290
38	0.110	0.130	0.140	0.150	0.160	0.160	0.170	0.220	0.370	1.600	4.180
39	0.088	0.100	0.110	0.130	0.150	0.160	0.180	0.260	0.420	1.380	4.040
40	0.160	0.200	0.220	0.230	0.240	0.250	0.260	0.290	0.560	1.720	3.860
41	0.170	0.190	0.200	0.210	0.220	0.230	0.240	0.270	0.430	1.590	4.750
53	0.180	0.200	0.210	0.200	0.210	0.210	0.220	0.260	0.430	1.760	5.080
54	0.180	0.200	0.210	0.230	0.240	0.250	0.260	0.280	0.400	1.250	4.110
55	0.110	0.120	0.130	0.140	0.140	0.150	0.150	0.190	0.310	0.830	2.630
56	0.120	0.140	0.150	0.180	0.190	0.200	0.200	0.230	0.360	1.010	2.760
57	0.140	0.160	0.170	0.180	0.190	0.200	0.210	0.250	0.360	1.270	3.090
58	0.030	0.039	0.046	0.054	0.060	0.064	0.067	0.084	0.250	0.610	2.020

11000018

INDONESIA WEST-SUMATRA SITE OF BAYANG SANI (9.74 Km2)
DISCHARGES DDn NOT EXCEEDED n DAYS BY YEAR IN ORDER (M3/S)

R	P	DD 1	DD 10	DD 20	DD 30	DD 40	DD 50	DD 60	DD100	DD200	DD300	DD350
1	0.022	0.030	0.039	0.046	0.054	0.060	0.064	0.067	0.084	0.220	0.610	2.020
2	0.065	0.054	0.068	0.086	0.100	0.110	0.110	0.120	0.140	0.250	0.670	2.170
3	0.109	0.074	0.097	0.110	0.120	0.130	0.140	0.150	0.190	0.300	0.780	2.290
4	0.152	0.086	0.100	0.110	0.130	0.140	0.150	0.150	0.200	0.310	0.810	2.390
5	0.196	0.088	0.100	0.110	0.130	0.150	0.160	0.160	0.210	0.310	0.830	2.630
6	0.239	0.091	0.100	0.110	0.140	0.150	0.160	0.170	0.220	0.340	1.000	2.650
7	0.283	0.094	0.100	0.130	0.140	0.150	0.160	0.170	0.220	0.360	1.010	2.760
8	0.326	0.095	0.110	0.130	0.140	0.160	0.180	0.190	0.230	0.360	1.250	2.920
9	0.370	0.100	0.120	0.130	0.150	0.160	0.180	0.190	0.240	0.370	1.270	3.030
10	0.413	0.110	0.120	0.140	0.150	0.170	0.180	0.200	0.250	0.370	1.270	3.040
11	0.457	0.110	0.130	0.140	0.160	0.170	0.190	0.200	0.250	0.380	1.350	3.090
12	0.500	0.120	0.140	0.150	0.180	0.190	0.200	0.200	0.260	0.400	1.370	3.140
13	0.543	0.140	0.160	0.170	0.180	0.190	0.200	0.210	0.260	0.420	1.380	3.200
14	0.587	0.150	0.170	0.180	0.180	0.190	0.200	0.210	0.260	0.430	1.410	3.340
15	0.630	0.150	0.180	0.190	0.200	0.210	0.210	0.220	0.270	0.430	1.460	3.550
16	0.674	0.160	0.180	0.200	0.210	0.220	0.230	0.240	0.270	0.430	1.490	3.560
17	0.717	0.160	0.190	0.210	0.230	0.240	0.250	0.260	0.280	0.470	1.510	3.860
18	0.761	0.170	0.200	0.210	0.230	0.240	0.250	0.260	0.290	0.480	1.530	4.040
19	0.804	0.180	0.200	0.220	0.230	0.240	0.250	0.260	0.290	0.500	1.590	4.110
20	0.848	0.180	0.210	0.230	0.240	0.250	0.260	0.270	0.290	0.530	1.600	4.160
21	0.891	0.180	0.210	0.230	0.250	0.250	0.260	0.280	0.320	0.560	1.720	4.410
22	0.935	0.190	0.220	0.250	0.260	0.270	0.290	0.300	0.340	0.640	1.760	4.750
23	0.978	0.250	0.260	0.290	0.320	0.350	0.360	0.400	0.570	0.950	1.780	5.080
AVERAGE	0.129	0.148	0.164	0.179	0.191	0.202	0.212	0.212	0.258	0.427	1.281	3.314

R = RANK

P = PROBABILITY